



¢ OF POST -11/8" 13/16" DIA. HOLE W6 x 8.5 OR W6 x 9 REQUIRED STEEL POST AS ENGTH BASE PLATE

STEEL POST DETAIL FOR GUARDRAIL, TYPE MGS-8

SECTION A - A

## PREFERRED CONSTRUCTION METHOD






SECTION A - A

ALTERNATE CONSTRUCTION METHOD

MICHIGAN DEPARTMENT OF TRANSPORTATION BUREAU OF DEVELOPMENT STANDARD PLAN FOR


GUARDRAIL OVER BOX OR SLAB CULVERTS

	8-1-2019	ם_מייַב	SHEET
F.H.W.A. APPROVAL	PLAN DATE	IV-19-I	2 OF 3



BASE PLATE DETAIL





THREADED ROD DETAIL

## NOTES:

GUARDRAIL SHALL BE CONSTRUCTED AND PAID FOR ACCORDING TO THE CURRENT STANDARD PLAN R-60-SERIES AND THE CURRENT STANDARD SPECIFICATIONS. IN ADDITION, POSTS ANCHORED TO THE CULVERT SLAB WILL BE PAID FOR AS "GUARDRAIL POST, CULV", WHICH INCLUDES ALL LABOR AND MATERIALS REQUIRED TO CONSTRUCT THE POST AS DETAILED ON THIS PLAN.

ALL MATERIALS FOR GUARDRAIL POST, CULVERT SHALL MEET THE CURRENT STANDARD SPECIFICATIONS FOR BRIDGE RAILINGS.

ALL WORK AND MATERIALS SHALL BE ACCORDING TO THE CURRENT STANDARD SPECIFICATIONS.

MICHIGAN DEPARTMENT OF TRANSPORTATION BUREAU OF DEVELOPMENT STANDARD PLAN FOR

GUARDRAIL OVER BOX OR SLAB CULVERTS