



OFFICE MEMORANDUM

12-90 (4)

DATE: March 27, 1984

TO: L. T. Oehler
Engineer of Research

FROM: R. W. Muethel

SUBJECT: Petrographic Analysis of Dense - Graded Gravel Aggregate: DNR Pit No. 49-101 (Testing Laboratory Sample No. 83A-10141). Research Project 83 TI-916. Research Report No. R-1240(4).

In October 1983 a sample of dense-graded gravel aggregate was received by the Department's Testing Laboratory Section. Information accompanying the sample stated that the material was obtained from the DNR Pit No. 49-101, location NE of NW, Sec. 28, T44N, R8W, Mackinac County, by G. H. Gallup.

The material was submitted to the laboratory to be tested for information. Petrographic analysis of a portion of the sample was conducted for Research Project 83 TI-916, "Investigation of Freeze-Thaw Durability for Aggregates in Bituminous Mixtures in the Upper Peninsula.

Summary

Rock Class	Condition of Particles	Percent of Sample
Igneous	hard, fresh to slightly weathered, and non-porous to slightly porous	15.4
Metamorphic	hard, fresh to moderately weathered, and non-porous to slightly porous	2.2
Sedimentary	hard to soft, fresh to highly weathered, and non-porous to porous	82.4


Approximately 10 percent of the sample was found to be composed of material having absorption values greater than 2.0 percent. An additional 40 percent of the sample had absorption values between 1.9 and 2.0 percent.

Detailed tabulations of petrographic composition, specific gravity, and absorption are included in Tables 1 and 2.

Detailed Petrography

Petrographic examination was conducted in general conformance with ASTM C295, "Petrographic Examination of Aggregates for Concrete." Representative portions—300 particles—of the noted sieve fractions were identified megascopically along with acid testing and a scratch test for hardness, and microscopically with a stereomicroscope. Specific gravity and absorption determinations were performed in general accordance with ASTM C127, "Specific Gravity and Absorption of Coarse Aggregate." Determinations included all material of the rock types analyzed. The following pages contain the rock type descriptions.

TESTING AND RESEARCH DIVISION



Geologist, Petrography and Hydrology
Group

RWM:jba

Attachments

cc: M. L. O'Toole
D. F. Malott
G. H. Gallup
J. W. Burge
M. G. Brown
R. H. Vogler

TABLE 1
PETROGRAPHIC COMPOSITION
(Testing Laboratory Sample No. 83A-10141)

Rock Type	Sieve Fraction Analyzed			Computed Sample Composition
	3/4 to 1/2-in.	1/2 to 3/8-in.	3/8 to No. 4	
Igneous				
Granite	12.0	9.3	9.0	10.1
Diorite	2.0	0.3	0.3	0.9
Gabbro	2.3	2.7	2.4	2.5
Basalt	0.7	1.7	0.3	0.9
Felsite	2.0	0.7	0.3	1.0
Metamorphic				
Quartzite	2.0	1.0	0.3	1.1
Metasediments	2.0	0.7	0.3	1.0
Schist	0.0	0.0	0.3	0.1
Sedimentary				
Limestone	29.3	31.0	30.7	30.3
Argillaceous limestone	1.7	1.7	0.3	1.2
Dolomitic limestone	4.7	3.7	1.0	3.1
Dolomite	34.4	41.3	43.0	39.5
Argillaceous dolomite	3.3	1.0	5.8	3.4
Sandstone	1.3	1.3	3.3	2.0
Chert	2.3	3.6	2.7	2.9
Totals, percent	100.0	100.0	100.0	100.0

TABLE 2
SPECIFIC GRAVITY AND ABSORPTION DATA
(Testing Laboratory Sample No. 83A-10141)

Rock Type	Specific Gravity			Absorption, percent	Composition, percent by weight
	Bulk, dry	Bulk, ssd	Apparent		
Igneous					
Granite	2.64	2.65	2.67	0.49	11.2
Diorite	2.74	2.76	2.78	0.55	1.1
Gabbro	2.94	2.95	2.99	0.59	3.0
Basalt	2.79	2.82	2.88	1.13	1.2
Felsite	2.59	2.62	2.69	1.42	1.4
Metamorphic					
Quartzite	2.66	2.68	2.71	0.67	1.7
Metasediments	2.70	2.71	2.72	0.29	1.6
Schist	*	*	*	*	TR
Sedimentary					
Limestone	2.62	2.64	2.69	1.07	29.3
Argillaceous limestone	2.42	2.51	2.65	3.63	1.3
Dolomitic limestone	2.50	2.59	2.73	3.24	3.8
Dolomite	2.64	2.69	2.78	1.90	37.9
Argillaceous dolomite	2.39	2.52	2.74	5.30	2.3
Sandstone	2.51	2.56	2.64	1.92	1.7
Chert	2.48	2.56	2.69	3.21	2.5
Total Sample	2.62	2.67	2.74	1.57	100.0

NOTE: Values are computed from determinations made on all sample material contained in the categories noted. Asterisks indicate no determination due to insufficient material in sample.

IGNEOUS ROCKS

Rock Type	Granite	Diorite	Gabbro
Color	mottled pink, white to buff, and dark green to black, and mottled white and dark gray to black	mottled white and dark gray to black	mottled white, and dark green to black; and mottled buff to yellowish brown and black
Texture	medium to fine grained	medium to fine grained	medium to fine grained
Luster	dull	dull	dull
Hardness	Mohs 6 to 7	Mohs 6 to 7	Mohs 5-1/2 to 6
Porosity	non-porous to slightly porous on weathered surfaces	non-porous to slightly porous on weathered surfaces	non-porous to slightly porous on weathered surfaces
Particle Shape	angular to rounded	angular to rounded	angular to rounded
Particle Surface	fresh to slightly weathered, rough to moderately smooth, and dented to ridged	fresh to slightly weathered, rough to smooth, and dented to ridged	fresh to slightly weathered, rough to moderately smooth, and dented or pitted to ridged

IGNEOUS ROCKS (Cont.)

Rock Type	Basalt	Felsite
Color	dark gray to black; and reddish brown	mottled pink to reddish brown; and mottled pink and greenish gray
Texture	very fine grained to micro-crystalline	very fine grained to micro-crystalline
Luster	dull	dull
Hardness	Mohs 5-1/2 to 6	Mohs 6 to 7
Porosity	non-porous to slightly porous on weathered surfaces	non-porous to slightly porous on weathered surfaces
Particle Shape	angular to subrounded	angular to subrounded
Particle Surface	fresh to slightly weathered, rough to smooth, and dented to ridged	fresh to slightly weathered, rough to smooth, and dented or pitted to ridged

METAMORPHIC ROCKS

Rock Type	Quartzite	Metasediments	Schist
Color	white; pink; gray; and mottled light and dark gray	gray to reddish brown	mottled gray and dark green to black
Texture	medium to very fine grained	fine to very fine grained	fine grained
Luster	dull to subvitreous	dull	dull to silky
Hardness	Mohs 7	Mohs 5-1/2 to 7	Mohs 2-1/2 to 6
Porosity	non-porous	non-porous to slightly porous on weathered surfaces	finely porous
Particle Shape	angular to subrounded	angular to rounded	subrounded
Particle Surface	fresh to slightly weathered, rough to smooth, and dented to ridged	fresh to slightly weathered, rough to moderately smooth, dented to ridged	moderately weathered, rough, dented

SEDIMENTARY ROCKS

Rock Type	Limestone	Argillaceous limestone	Dolomitic limestone
Color	buff; gray; and mottled buff to tan and gray	buff to tan; and mottled buff and tan or gray	tan to buff; and gray
Texture	fine grained to micro- crystalline	fine grained to micro- crystalline	fine grained to micro- crystalline
Luster	dull	dull to earthy	dull
Hardness	Mohs 3	Mohs 2-1/2 to 3	Mohs 3 to 4
Porosity	non-porous to slightly porous	finely porous	non-porous to finely porous
Particle Shape	angular to rounded	angular to subrounded	angular to rounded
Particle Surface	fresh to moderately weath- ered, rough to smooth, and dented to ridged	fresh to deeply weathered, rough to smooth, and dented or pitted to ridged	fresh to moderately weath- ered, rough to smooth, and dented to ridged

SEDIMENTARY ROCKS (Cont.)

Rock Type	Dolomite	Argillaceous dolomite	Sandstone
Color	buff; tan; gray; and mottled buff or tan and gray	buff; tan; gray; and mottled buff or tan and gray	white; buff; and pink
Texture	fine grained to micro-crystalline	fine grained to micro-crystalline	medium to fine grained
Luster	dull	dull to earthy	dull
Hardness	Mohs 3-1/2 to 4	Mohs 2-1/2 to 4	Mohs 7
Porosity	non-porous to finely porous	finely porous	finely porous to porous
Particle Shape	angular to rounded	angular to rounded	angular to rounded
Particle Surface	fresh to moderately weathered, rough to smooth, and dented or pitted to ridged	fresh to moderately weathered, rough to smooth, and dented or pitted to ridged	fresh to slightly weathered, rough, and dented to ridged

SEDIMENTARY ROCKS (Cont.)

Rock Type	Chert
Color	white; and mottled white or buff and gray
Texture	very fine grained to micro-crystalline
Luster	dull or chalky to vitreous
Hardness	Mohs 7
Porosity	finely porous to non-porous
Particle Shape	angular to subangular
Particle Surface	fresh to highly weathered, rough to smooth, and dented to ridged
Remarks	A few particles contain exposures of vitreous chert.