


# GUIDE SIGNS

D1-1 THROUGH D18-1  
CLEARVIEW FONT



D1-1  
DESTINATION (1 LINE)

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	12	.75	5 3-W	5	4	3.5	1.625	5A
40 MPH OR MORE	VAR.	18	.75	7 3-W	7	6	5.5	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-1a  
DESTINATION AND DISTANCE (1 LINE)


SIGN	DIMENSIONS (INCHES)								ARROW
	A	B	C	D	E	F	G	H	SIZE
35 MPH OR LESS	VAR.	12	.75	5 3-W	5	4	3.5	1.625	5A
40 MPH OR MORE	VAR.	18	.75	7 3-W	7	6	5.5	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-1b  
ROAD NAME WITH ANGLED ARROW (1 LINE)  
FOR ROUNDABOUT USE ONLY



D1-1c  
ROAD NAME WITH ANGLED ARROW (2 LINES)  
FOR ROUNDABOUT USE ONLY

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D1-1d  
ROUTE DIRECTIONAL DESTINATION AND ANGLED ARROW  
FOR ROUNDABOUT USE ONLY


COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS

\*REFER TO PAGE 6-62.1 OF THE APPENDIX FOR CARDINAL DIRECTION SPACING




D1-2  
DESTINATION (2 LINES)

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	30	.75	5 3-W	5	4	5	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 3-W	7	6	5.5	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-2a  
DESTINATION AND DISTANCE (2 LINES)

SIGN	DIMENSIONS (INCHES)								ARROW
	A	B	C	D	E	F	G	H	SIZE
35 MPH OR LESS	VAR.	30	.75	5 3-W	5	4	5	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 3-W	7	6	5.5	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D1-2b  
DOUBLE DESTINATION


SIGN	DIMENSIONS (INCHES)										ARROW
	A	B	C	D	E	F	G	H	J	K	SIZE
35 MPH OR LESS	VAR.	24	.75	5	5 3-W	5	4	1.625	4	9.5	5A
40 MPH OR MORE	VAR.	30	.75	5.5	7 3-W	7	6	1.625	5	11.5	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS








D1-2d  
 ARROW WITH DESTINATION AND ROUNDABOUT ARROW WITH DESTINATION  
 FOR ROUNDABOUT USE ONLY

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTER THRU ARROW OVER ROUNDABOUT ARROW
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS
- \* SEE APPENDIX PAGE 6-64 FOR ARROW DETAILS




D1-3  
DESTINATION (3 LINES)

SIGN	DIMENSIONS (INCHES)								ARROW
	A	B	C	D	E	F	G	H	SIZE
35 MPH OR LESS	VAR.	36	.75	3.5	5 3-W	5	4	1.625	5A
40 MPH OR MORE	VAR.	48	.75	4.5	7 3-W	7	6	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTER THRU ARROW OVER LEFT ARROW  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-3a  
DESTINATION AND DISTANCE (3 LINES)

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	36	.75	3.5	5 3-W	5	4	1.625	5A
40 MPH OR MORE	VAR.	48	.75	4.5	7 3-W	7	6	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTER THRU ARROW OVER LEFT ARROW  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-3b  
DOUBLE DESTINATION AND SINGLE DESTINATION

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	36	.75	4.25	5 3-W	5	3.875	4	4	1.625	5A
40 MPH OR MORE	VAR.	48	.75	5.5	7 3-W	7	5.125	5	6	1.625	7A

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D1-3c  
DESTINATION WITH ROUNDABOUT ARROW (3 LINES)  
FOR ROUNDABOUT USE ONLY

#### COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS
- CENTER THRU ARROW OVER ROUNDABOUT ARROW
- \* SEE APPENDIX PAGE 6-64 FOR ARROW DETAILS



D1-3d  
 ROUNDABOUT DOUBLE DESTINATION AND DESTINATION WITH ARROW  
 FOR ROUNDABOUT USE ONLY

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS
- \* SEE APPENDIX PAGE 6-64 FOR ARROW DETAILS




D1-3e  
 ROUNDABOUT DESTINATION AND DOUBLE DESTINATION WITH ARROW  
 FOR ROUNDABOUT USE ONLY

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS
- \* SEE APPENDIX PAGE 6-64 FOR ARROW DETAILS






D1-5  
 ROUNDABOUT EXIT DESTINATIONS  
 FOR ROUNDABOUT USE ONLY

WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
 (i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS

- \* SEE APPENDIX PAGE 6-64 FOR ARROW DETAILS
- \*\* REFER TO PAGE 6-62.1 OF THE APPENDIX FOR CARDINAL DIRECTION SPACING
- ACCENT SQUARE COLOR IS YELLOW (REFL.) WHILE USING THE M1-5
- ACCENT SQUARE COLOR IS WHITE (REFL.) WHILE USING THE M1-2, M1-3, M1-4, M1-5a, M1-6, & M1-7



D2-1  
DISTANCE (1 LINE)

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
35 MPH OR LESS	VAR.	12	.75	5 3-W	5	4	3.5	1.625
40 MPH OR MORE	VAR.	18	.75	7 3-W	7	6	5.5	1.625




D2-2  
DISTANCE (2 LINES)

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
35 MPH OR LESS	VAR.	30	.75	5 3-W	5	4	1.625	7.5	5
40 MPH OR MORE	VAR.	36	.75	7 3-W	7	6	1.625	8	6

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS





D2-3  
DISTANCE (3 LINES)

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
35 MPH OR LESS	VAR.	36	.75	5 3-W	6	4.5	5	4	1.625
40 MPH OR MORE	VAR.	48	.75	7 3-W	8.5	5	7	6	1.625

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE J AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

D3-1  
STREET NAME

DIMENSIONS (INCHES)								
A	B	C	D	E	F	G	H	J
VAR.	8	.5	2	4 2-W	3 2-W	1.5	3	1.5
VAR.	12	.5	3	6 2-W	4 2-W	1.5	5	2
VAR.	16	.5	4	8 2-W	6 2-W	1.5	6	3
VAR.	24	.5	6	12 2-W	10 2-W	1.5	9	4


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS

THE BORDER MAY BE OMITTED FROM THIS SIGN




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

### D3-2 ADVANCE STREET NAME

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
35 MPH OR LESS	VAR.	12	3.5	5 3-W	5	.75	1.625
40 MPH OR MORE	VAR.	18	5.5	7 3-W	7	.75	1.625

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

### D3-2a ADVANCE STREET NAME WITH ARROW

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	12	.75	5 3-W	5	4	3.5	1.625	5A
40 MPH OR MORE	VAR.	18	.75	7 3-W	7	6	5.5	1.625	7A

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

### D3-2b DESTINATION AND ADVANCE STREET NAME

SIGN	DIMENSIONS (INCHES)									ARROW SIZE
	A	B	C	D	E	F	G	H	J	
35 MPH OR LESS	VAR.	30	.75	5 3-W	5	4	5	4.625	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 3-W	7	6	5.5	5.125	1.625	7A

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.


### D3-2c DOUBLE ADVANCE STREET NAMES WITH ARROWS

SIGN	DIMENSIONS (INCHES)									ARROW SIZE
	A	B	C	D	E	F	G	H	J	
35 MPH OR LESS	VAR.	30	.75	5 3-W	5	4	5	4.625	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 3-W	7	6	5.5	5.125	1.625	7A

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS






WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

### D3-2d ADVANCE STREET NAME WITH ARROW (TWO LINES)

SIGN	DIMENSIONS (INCHES)									ARROW SIZE
	A	B	C	D	E	F	G	H	J	
35 MPH OR LESS	VAR.	24	.75	5 3-W	5	4	5	4	1.625	5A
40 MPH OR MORE	VAR.	30	.75	7 3-W	7	6	5.5	5	1.625	7A

COLORS  
LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.


### D3-2e ADVANCE STREET NAME

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
35 MPH OR LESS	VAR.	24	5.5	5 3-W	4	4 3-W	4	5	.75	1.625
40 MPH OR MORE	VAR.	30	6	7 3-W	5	6 3-W	6	7	.75	1.625

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)

\*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "  
" 2ND INTERSECTION " OR " NEXT LEFT "



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)  
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

### D3-2f ADVANCE STREET NAME (WITH ARROW)


SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	24	5.5	5 3-W	4	4 3-W	4	5	.75	1.625	5A
40 MPH OR MORE	VAR.	30	6	7 3-W	5	6 3-W	6	7	.75	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS

\*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "  
" 2ND INTERSECTION " OR " NEXT LEFT "



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)  
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

D3-2g

ADVANCE STREET NAME (DESTINATION WITH ARROW AND STREET NAME)


SIGN	DIMENSIONS (INCHES)												ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	L	M	
35 MPH OR LESS	VAR.	36	5.5	5 3-W	3.25	4 3-W	4	5	4	3	.75	1.625	5A
40 MPH OR MORE	VAR.	42	5.25	7 3-W	3	6 3-W	6	7	4.75	3	.75	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS

\*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "  
" 2ND INTERSECTION " OR " NEXT LEFT "



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)  
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

D3-2h  
ADVANCE STREET NAME (DOUBLE WITH ARROWS)

SIGN	DIMENSIONS (INCHES)											ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	L	
35 MPH OR LESS	VAR.	36	5.625	5 3-W	4	4 3-W	4	5	3	.75	1.625	5A
40 MPH OR MORE	VAR.	42	5.25	7 3-W	4.75	6 3-W	6	7	3	.75	1.625	7A

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS

\*ALTERNATE LEGEND: " NEXT INTERSECTION " OR " NEXT ROUNDABOUT "

" 2ND INTERSECTION " OR " NEXT LEFT "



D3-2i  
ADVANCE STREET NAME (DOUBLE)

WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)  
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	K	L	M
35 MPH OR LESS	VAR.	42	4.625	5 3-W	4	4 3-W	4	5	3	.75	1.625
40 MPH OR MORE	VAR.	54	5.375	7 3-W	4.75	6 3-W	6	7	3.5	.75	1.625


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS

\*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "  
" 2ND INTERSECTION " OR " NEXT LEFT "

\*\* ONLY USE SPLICE FOR 40 MPH OR MORE SIGNS




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)  
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

### D3-2j ADVANCE STREET NAME (WITH SINGLE CARDINAL DIRECTION)

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	24	5	5 3-W	4	4 3-W	5	4	.75	1.625	5A
40 MPH OR MORE	VAR.	30	5.5	7 3-W	5	6 3-W	7	6	.75	1.625	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE STREET NAME HORIZONTALLY  
 \*REFER TO PAGE 6-62.1 OF THE APPENDIX FOR CARDINAL DIRECTION SPACING



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)  
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.


D3-2k  
ADVANCE STREET NAME (WITH DOUBLE CARDINAL DIRECTIONS)  
FOR DIRECTIONAL CROSSOVERS ONLY

SIGN	DIMENSIONS (INCHES)													ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	L	M	N	
35 MPH OR LESS	VAR.	30	4	5 3-W	3.5	4 3-W	5	4	3.06	2.56	6.88	.75	1.625	5A
40 MPH OR MORE	VAR.	42	5	7 3-W	5	6 3-W	7	6	3.94	4.94	9.12	.75	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE STREET NAME HORIZONTALLY  
 \*REFER TO PAGE 6-62.1 OF THE APPENDIX FOR CARDINAL DIRECTION SPACING





WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS  
(i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

D3-2m  
ADVANCE STREET NAME WITH ROUTE MARKER

SIGN	DIMENSIONS (INCHES)											ARROW SIZE
	A	B	C	D	E	G	H	J	K	L	M	
35 MPH OR LESS	VAR.	42	5.5	5 3-W	4	4	5	2	18	.75	1.625	5A
40 MPH OR MORE	VAR.	54	7	7 3-W	5	6	7	2	24	.75	1.625	7A

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS

\*ROUTE MARKER OPTIONS: M1-2, M1-3, M1-4, M1-5, M1-5a, M1-6, & M1-7

ACCENT SQUARE COLOR IS YELLOW (REFL.) WHILE USING THE M1-5


ACCENT SQUARE COLOR IS WHITE (REFL.) WHILE USING THE M1-2, M1-3, M1-4, M1-5a, M1-6, & M1-7



D4-1  
PARKING WITH ARROW

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 SEE APPENDIX PAGE 6-2 FOR ARROW DETAILS



D4-2

PARK-RIDE

A	B	C	D	E	F	G	H	J	K	L	M
24	30	0.625	2.5	7	2.5	4 D***	3.5	4	8.525	5.025	1.5
30	36	0.75	2.75	8.5	3	5 D***	4.25	4.5	10.657	6.281	1.875
36	48	0.875	4	11	4.5	6 D***	6.063	6	12.913	7.412	2.5


N	P	Q	R	S
2	5.859	6	4	1.5
2.5	7.323	7.5	5	1.875
3	8.788	9	6	2.25

\* See page 6-42 for symbol design.


\*\* See page 6-2 for arrow design.

\*\*\* Increase character spacing 25%.

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — GREEN (RETROREFLECTIVE)



D4-2a  
PARK AND RIDE (NEXT)




D4-2b  
PARK AND RIDE (EXIT)

\* "&" SYMBOL HIGHWAY D 2K


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS

1. WHEN THE LOCAL TRANSIT LOGO IS USED WITH THE "PARK AND RIDE" SYMBOL, IT SHALL NOT BE LARGER IN SIZE THAN THE PARK AND RIDE SYMBOL.
2. SEE APPENDIX PAGE 6-42 FOR PARK & RIDE SYMBOL DETAILS.



D4-2c  
MDOT CARPOOL PARKING (NEXT)




DETAIL 1  
SUPPLEMENTAL PANEL 1




DETAIL 2  
SUPPLEMENTAL PANEL 2

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- LOGO - STD. 8.5 x 27.5 MDOT LOGO
- \* FOR MDOT EMBLEM CONTACT MDOT SIGN SHOP AT 517-322-3355



D4-2d  
LOCAL TRANSIT CARPOOL PARKING (NEXT)



DETAIL 1  
SUPPLEMENTAL PANEL 1



DETAIL 2  
SUPPLEMENTAL PANEL 2

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS

1. WHEN THE LOCAL TRANSIT LOGO IS USED WITH THE "PARK AND RIDE" SYMBOL, IT SHALL NOT BE LARGER IN SIZE THAN THE PARK AND RIDE SYMBOL.
2. SEE APPENDIX PAGE 6-42 FOR PARK & RIDE SYMBOL DETAILS.




D4-3

BICYCLE PARKING


\*See page 6-7 for symbol design.

\*\*See page 6-2 for arrow design.

COLORS: LEGEND & SYMBOL — GREEN (RETROREFLECTIVE)  
 BACKGROUND — WHITE (RETROREFLECTIVE)



D4-4  
MDOT PUBLIC CARPOOL PARKING



D4-4a  
LOCAL TRANSIT AND MDOT PUBLIC CARPOOL PARKING


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
LOGO - STD 5.625 X 16.625 MDOT LOGO

CENTRALLY LOCATE ALL LEGENDS

THE LOGOS FOR LOCAL TRANSIT OR SPONSOR SHALL BE SMALLER  
THAN THE MDOT LOGO AND SUPPLIED BY THAT ORGANIZATION.  
FOR MDOT EMBLEM CONTACT MDOT SIGN SHOP AT 517-322-3355






### D4-4b

MDOT PUBLIC CARPOOL PARKING WITH ARROW

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 LOGO - STD 5.625 X 16.625 MDOT LOGO  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS  
 FOR MDOT EMBLEM CONTACT MDOT SIGN SHOP AT 517-322-3355  
 SEE APPENDIX PAGE 6-3.93 FOR ARROW DETAILS




D4-4c  
CARPOOL LOT DISTANCE

COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS




D5-1a  
REST AREA DISTANCE (FREEWAY)  
ALTERNATE LEGEND: PARKING AREA



D5-1b  
PARKING AREA DISTANCE (NON-FREEWAY)  
ALTERNATE LEGEND: REST AREA

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D5-1c  
MICHIGAN WELCOME CENTER DISTANCE

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS




FREEWAY: 108 (REST AREA) 132 (PARKING AREA)  
NON-FREEWAY: 60 (REST AREA) 72 (PARKING AREA)

## D5-2 REST AREA (WITH ARROW)

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
NON-FREEWAY	36	7.5	7 3-W	7	5	7	1.25	3	8B
FREEWAY	54	10	12 4-W	10	9	12	2	9	16B

## COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
ALTERNATE LEGEND: PARKING AREA  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D5-2a  
REST AREA GORE

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 ALTERNATE LEGEND: PARKING AREA  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D5-2c  
MICHIGAN WELCOME CENTER WITH ARROW

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS



D5-3a  
TRUCK PARKING EXIT




D5-3b  
TRUCK PARKING

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS






D5-5  
REST AREA (WITH HORIZONTAL ARROW)

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 ALTERNATE LEGEND: PARKING AREA  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D5-5a  
ROADSIDE TABLE SYMBOL

DIMENSIONS (INCHES)				
A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE SYMBOL  
 \* SEE APPENDIX PAGE 6-43 FOR SYMBOL DETAILS



D5-5f  
DOG RUN (WITH HORIZONTAL ARROW)

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D5-5g  
LITTER BARREL

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D5-6aP  
NEXT AREA DISTANCE PANEL

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS  
 SIGN TO BE USED WITH THE D5-1a OR D5-1c  
 REDUCE SPACING BETWEEN LETTERS TO 70%





Diagram of a rectangular roadside parking sign with dimensions and text. The sign is white with a black border. The text is black and reads "ROADSIDE PARK 1/2 MILE". The dimensions are as follows:

- Overall width: 66"
- Overall height: 48"
- Top margin: 7" MIN.
- Right margin: 7" MIN.
- Bottom margin: 8"
- Left margin: 10" 3-W
- Text "ROADSIDE" height: 7" 3-W
- Text "PARK" height: 5"
- Text "1/2" height: 6"
- Text "MILE" height: 7" 3-W
- Text "1/2" width: 8"
- Text "MILE" width: 3"
- Text "ROADSIDE" width: 1.25"

\* SIGN WIDTH PER LEGEND:  
60" "SCENIC AREA"  
60" "SCENIC VIEW"  
60" "PARKING AREA"  
60" "SCENIC TURNOUT"  
66" "SCENIC OVERLOOK"

ALTERNATE LEGENDS: SCENIC AREA, SCENIC VIEW, PARKING AREA,  
SCENIC TURNOUT, AND SCENIC OVERLOOK  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D6-3  
ROADSIDE PARK WITH ANGLED ARROW

\* SIGN WIDTH PER LEGEND:  
48" "SCENIC AREA"  
48" "SCENIC VIEW"  
60" "PARKING AREA"  
60" "SCENIC TURNOUT"  
66" "SCENIC OVERLOOK"

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
ALTERNATE LEGENDS: SCENIC AREA, SCENIC VIEW, PARKING AREA,  
SCENIC TURNOUT, AND SCENIC OVERLOOK  
SIGN TO BE USED FOR ANGLED PARK ENTRANCES ONLY  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS



Technical drawing of the America's Byways logo with dimensions. The logo is rectangular with rounded corners, featuring a stylized American flag and the text "AMERICA'S BYWAYS". Dimensions are provided in inches:


- Overall width: 24
- Overall height: 12
- Inner rectangle width: 10.625
- Inner rectangle height: 7.25
- Flag graphic width: 10.625
- Flag graphic height: 5.0
- Text "AMERICA'S BYWAYS" width: 10.625
- Text "AMERICA'S BYWAYS" height: 1.25
- Top border thickness: .375
- Bottom border thickness: .625
- Right border thickness: 1.75
- Corner radius: 1.5

D6-4a

NATIONAL SCENIC BYWAYS


COLORS:	SYMBOL	BLUE & WHITE (RETROREFLECTIVE)
	LEGEND	RED (RETROREFLECTIVE)
	BACKGROUND	WHITE (RETROREFLECTIVE)





D7-1  
RECREATION AREA DISTANCE SIGN

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
35 MPH OR LESS	VAR.	30	.75	5	4 3-W	4	1.625	4
40 MPH OR MORE	VAR.	36	.75	5	6 3-W	4	1.625	6




D7-1a  
RECREATION AREA DIRECTION SIGN (TWO LINES)

SIGN	DIMENSIONS (INCHES)										ARROW
	A	B	C	D	E	F	G	H	J	K	SIZE
35 MPH OR LESS	VAR.	24	.75	6	4 3-W	4	4	3	1.625	12	5A
40 MPH OR MORE	VAR.	30	.75	6.5	6 3-W	5	6	5	1.625	15	7A

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BROWN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D7-1b  
RECREATION AREA DIRECTION SIGN (THREE LINES)

SIGN	DIMENSIONS (INCHES)										ARROW
	A	B	C	D	E	F	G	H	J	K	SIZE
35 MPH OR LESS	VAR.	30	.75	5	4 3-W	4	4	3	1.625	15	5A
40 MPH OR MORE	VAR.	36	.75	5	6 3-W	4	6	5	1.625	18	7A


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BROWN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D7-1c

RECREATION AREA SYMBOL DIRECTION SIGN (ONE LINE, 1 OR 2 SYMBOL(S))



D7-1c

RECREATION AREA SYMBOL DIRECTION SIGN (ONE LINE, 3 SYMBOLS)

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	30	4	5.5	4 3-W	3	12	3	.75	1.625	5A
40 MPH OR MORE	VAR.	42	6	6.5	6 3-W	5	18	5	.75	1.625	7A


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BROWN (REFL.)

SEE RS- SERIES DETAILS FOR SYMBOLS


\*3 SYMBOLS MAXIMUM PER SIGN

WHILE USING 1 OR 2 SYMBOL(S): JUSTIFY ARROWS & SYMBOLS TO ARROW SIDE OF SIGN  
WHILE USING 3 SYMBOLS: CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D7-1d

RECREATION AREA SYMBOL DIRECTION SIGN (TWO LINES 1 OR 2 SYMBOL(S))



D7-1d

RECREATION AREA SYMBOL DIRECTION SIGN (TWO LINES, 3 SYMBOLS)

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	36	4	5	4 3-W	3	12	3	.75	1.625	5A
40 MPH OR MORE	VAR.	48	6	5	6 3-W	4	18	5	.75	1.625	7A


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BROWN (REFL.)

SEE RS- SERIES DETAILS FOR SYMBOLS

\*3 SYMBOLS MAXIMUM PER SIGN

WHILE USING 1 OR 2 SYMBOL(S): JUSTIFY ARROWS & SYMBOLS TO ARROW SIDE OF SIGN  
WHILE USING 3 SYMBOLS: CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D7-3  
MEMORIAL HIGHWAY (TWO LINES)



D7-3  
MEMORIAL HIGHWAY (THREE LINES)

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
NON-FREEWAY	96 MAX.	30 MAX.	4	6	4 2-W	4	.75	1.625	5
FREEWAY	120 MAX.	42 MAX.	6	6.5	6 5-W	5	1.5	6	7

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BROWN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS




D8-1  
WEIGH STATION DISTANCE

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	K	L	M
STD.	60	48	1.5	6	8 3-W	10 3-W	6	5	6	8
EXPWY.	84	60	2	8	10 3-W	12 3-W	7	7	9	9
FWY.	96	72	2	9	12 4-W	15 4-W	9	7.5	9	11

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS  
 \* ALTERNATE LEGEND FOR STANDARD SIZE ONLY "1/2 MILE"



D8-2  
WEIGH STATION RIGHT LANE (LEFT LANE)

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS  
 ALTERNATE LEGEND "LEFT LANE", BOTTOM 21" OF SIGN:  
 LEGEND AND BORDER - BLACK (NON REFL.)  
 BACKGROUND - YELLOW (REFL.)








D8-3  
WEIGH STATION ANGLED ARROW

SIGN	DIMENSIONS (INCHES)												ARROW SIZE
	A	B	C	D	E	F	H	J	K	L	M	N	
STD.	48	42	1	4	6 4-W	13.36	4	4.64	45°	3	-	-	10B
EXPWY.	66	60	1.5	7	8 4-W	18.12	6	-	45°	6	1	4.88	14B
FWY.	84	78	2	9	10 4-W	23.96	8	-	60°	9	5	3.04	16B

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 EXPWY AND FWY SIGNS ARE TO BE CONSTRUCTED AS  
 TWO PIECES OF PLYWOOD AS SHOWN ABOVE.  
 CENTRALLY LOCATE ALL LEGENDS




D9-1

TELEPHONE

\*See page 6-44 for symbol design.

A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
 BACKGROUND BLUE (RETROREFLECTIVE)



D9-1a


TELEPHONE

\*See page 6-44 for symbol design.

\*\*See page 6-2 for arrow design.

A	B	C	D	E	F	G	H	J
18	24	.5	2	20	1.75	8.5	2	1.5
24	30	.625	2.5	25	2.5	10.5	2.625	1.5
30	36	.75	3	30	3	13.25	3.25	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)



**D9-1b**


TELEPHONE

\*See symbol on page 6-44

A	B	C	D	E	F	G	H	J	K	L	M
18	24	.5	2	20	1	9.5	1.5	3.75	6	1.5	4 C
24	30	.625	2.5	25	1.5	11.875	1.5	4.5	7.5	2	5 C
30	36	.75	3	30	2	14.25	1.875	5	9	2.5	6 C

N	P
8.75	8
11	10
13.5	12

COLORS:   LEGEND       —WHITE (RETROREFLECTIVE)  
               BACKGROUND —BLUE (RETROREFLECTIVE)  
               SYMBOL       —WHITE (RETROREFLECTIVE)




D9-2

HOSPITAL

A	B	C	D	E
18	.5	1.5	15 EM	1.5
24	.5	2	20 EM	1.5
30	.75	2.5	25	1.875

COLORS:   LEGEND       —WHITE (RETROREFLECTIVE)  
               BACKGROUND —BLUE (RETROREFLECTIVE)



D9-2a  
HOSPITAL NAME AND SYMOBL WITH RIGHT (LEFT) ARROW

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)


CENTRALLY LOCATE ALL LEGENDS

SIGN SHALL ONLY BE USED FOR NON-FREEWAY HOSPITAL SIGNING

SIGN LEGEND SHALL NOT INCLUDE "HOSPITAL" AND SHALL ONLY BE ONE LINE.

SEE D9-2 FOR SYMBOL

SEE ROUTE MARKER ARROW M6-1 21" X 15" SIZE FOR ARROW DETAILS



D9-2b  
HOSPITAL NAME AND SYMBOL WITH ANGLED ARROW

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)


CENTRALLY LOCATE ALL LEGENDS

SIGN SHALL ONLY BE USED FOR NON-FREEWAY HOSPITAL SIGNING

SIGN LEGEND SHALL NOT INCLUDE "HOSPITAL" AND SHALL ONLY BE ONE LINE.

SEE D9-2 FOR SYMBOL

SEE ROUTE MARKER ARROW M6-2 21" X 15" SIZE FOR ARROW DETAILS



D9-2c  
HOSPITAL NAME AND SYMBOL WITH UP ARROW

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)

CENTRALLY LOCATE ALL LEGENDS


SIGN SHALL ONLY BE USED FOR NON-FREEWAY HOSPITAL SIGNING

SIGN LEGEND SHALL NOT INCLUDE "HOSPITAL" AND SHALL ONLY BE ONE LINE.

SEE D9-2 FOR SYMBOL

SEE ROUTE MARKER ARROW M6-3 21" X 15" SIZE FOR ARROW DETAILS






D9-2d  
HOSPITAL PLAQUE

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS




**D9-3**  
CAMPING

\*See page 6-45 for symbol design.

A	B	C	D	E	F
18	.5	1.5	15	6	1.5
24	.5	2	20	8	1.5
30	.75	2.5	25	10	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)



D9-3a

TRAILER CAMPING

\*See page 6-46 for symbol design.

A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)




D9-4

LITTER CONTAINER

\*See page 6-15 for symbol design.

A	B	C	D	E	F
24	30	.5	5	20	1.5
36	48	.75	8	32	2.25

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)






\*See page 6-31 for symbol design.

A	B	C	D	E
12	.5	1	10	1.5
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875
36	1	3	30	3

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)


## D9-6 SUPPLEMENTAL PANELS



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MIN.	18	6	.5	2 1-W	2	1	6	1.5	1	4
STD.	24	9	.5	3 1-W	3	1	9	1.5	2.5	4

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS




**D9-7**  
GAS

\*See page 6-12 for symbol design.

A	B	C	D	E
18	.5	3	6	1.5
24	.5	3	9	1.5
30	.75	3.75	11.25	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)



D9-8


F00D

\*See page 6-47 for symbol design.

A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)






**D9-9**

**LODGING**

\*See page 6-48 for symbol design.

A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

**COLORS:** SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)




D9-10  
INFO

\* Reduce character spacing 50%.

A	B	C	D	E	F	G
24	0.5	6	12 B	10.055	10.054	1.5
30	0.75	7.5	15 B	12.568	12.568	1.875

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — BLUE (RETROREFLECTIVE)




D9-11

DIESEL FUEL

\*See page 6-12 for symbol design.

A	B	C	D	E	F
18	.5	1.5	15	4 EM	1.5
24	.5	2	20	6 EM	1.5
30	.75	2.5	25	8 EM	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)




**D9-11b**

ELECTRIC VEHICLE CHARGING

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	0.5	2	7.25	4 E(m)	1.75	3	20	8.025	1.308	1.654	1.668	2.014	1.5
30	0.75	2	9.625	5 E(m)	2.375	4	26	10.432	1.627	2.076	2.077	2.526	1.875

\* See page 6-12 for symbol design.

COLORS: LEGEND, BACKGROUND — BLUE (RETROREFLECTIVE)  
 SYMBOL, BORDER — WHITE (RETROREFLECTIVE)




D9-11bP

ELECTRIC VEHICLE CHARGING

A	B	C	D	E	F	G	H	J	K
24	18	0.5	2.5	3 C	2	7.428	6.723	8.088	1.5
30	24	0.75	3.25	4 C	2.75	9.904	8.963	10.784	1.875

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
 BACKGROUND — BLUE (RETROREFLECTIVE)




D9-11c

ALTERNATIVE FUEL-ETHANOL (E85)

\* See page X-XX for symbol design.

A	B	C	D	E	F	G	H	J
24	0.5	2	6	4 E(m)	0.625	0.75	20	1.5
30	0.75	2.5	7.5	5 E(m)	0.75	1	25	1.875

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — BLUE (RETROREFLECTIVE)




**D9-12**

**RV SANITARY STATION**

\*See page 6-50 for symbol design.

A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

**COLORS:** SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)




EMERGENCY MEDICAL SERVICES

\*See page 6-51 for symbol design.


A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS:   SYMBOL           WHITE   (RETROREFLECTIVE)  
               BACKGROUND   BLUE    (RETROREFLECTIVE)





D9-13a




D9-13b

AMBULANCE STATION

\*Series 2000 Standard Alphabets.

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)



D9-13c

EMERGENCY MEDICAL CARE

\*Series 2000 Standard Alphabets.

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)




D9-14  
POLICE

\* Reduce character spacing 20%.

A	B	C	D	E	F	G
24	0.5	8.5	7 B*	10.036	10.035	1.5
30	.75	10.5	9 B*	12.903	12.902	1.875

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — BLUE (RETROREFLECTIVE)



**D9-15**


PROPANE GAS

\*See page 6-52 for symbol design.

Smaller size panels may be used as applicable within terminal areas.

A	B	C	D	E
18	.5	1.5	15	1.5
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: SYMBOL WHITE (RETROREFLECTIVE)  
BACKGROUND BLUE (RETROREFLECTIVE)




**D9-16**  
TRUCK PARKING

★ See page 6-5 for symbol design.

A	B	C	D	E	F	G	H	J	K
24	0.5	3.5	8 E(m)	3	7	2.5	2.742	3.742	1.5
30	0.75	4.375	10 E(m)	4	8.75	2.875	3.428	4.677	1.875

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — BLUE (RETROREFLECTIVE)

## MOTORIST SERVICES SIGNS



**D9-18**  
MOTORIST SERVICES SIGN 6 SYMBOLS NEXT RIGHT


\* USE 8 FOR 96 SIGN & 20 FOR 120 SIGN

1. D9 SERIES SYMBOL PLATES ARE 24 x 24 INCHES.
2. SEE M.M.U.T.C.D. FOR PRIORITY PLACEMENT OF PLAQUE SIGNS.
3. THE USE OF LEGEND OR SYMBOL FOR GAS (STD. NO. D9-7), DIESEL FUEL (STD. NO. D9-11), FOOD (STD. NO. D9-8), LODGING (STD. NO. D9-9), AND CAMPING (STD. NO. D9-3 AND D9-3a) WILL ONLY BE PERMITTED, IF THAT SERVICE DOES NOT PARTICIPATE IN THE SPECIFIC SERVICE (LOGO) SIGN PROGRAM.

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
SYMBOLS - PER D9 STANDARDS  
CENTRALLY LOCATE ALL LEGENDS

## MOTORIST SERVICES SIGNS



D9-18a


MOTORIST SERVICES SIGN 6 SYMBOLS EXIT

1. D9 SERIES SYMBOL PLATES ARE 24 x 24 INCHES.
2. SIGN WIDTH MAY NEED TO BE INCREASED IF THE EXIT NUMBER HAS MORE THAN 3 CHARACTERS.
3. SEE M.M.U.T.C.D. FOR PRIORITY PLACEMENT OF PLAQUE SIGNS.
4. THE USE OF LEGEND OR SYMBOL FOR GAS (STD. NO. D9-7), DIESEL FUEL (STD. NO. D9-11), FOOD (STD. NO. D9-8), LODGING (STD. NO. D9-9), AND CAMPING (STD. NO. D9-3 AND D9-3a) WILL ONLY BE PERMITTED, IF THAT SERVICE DOES NOT PARTICIPATE IN THE SPECIFIC SERVICE (LOGO) SIGN PROGRAM.

### COLORS

LEGEND AND BORDER	- WHITE (REFL.)
BACKGROUND	- BLUE (REFL.)
SYMBOLS	- PER D9 STANDARDS
CENTRALLY LOCATE ALL LEGENDS	

## MOTORIST SERVICES SIGNS



D9-18b  
MOTORIST SERVICES SIGN 3 SYMBOLS NEXT RIGHT

\* USE 8 FOR 96 SIGN & 20 FOR 120 SIGN


1. D9 SERIES SYMBOL PLATES ARE 24 x 24 INCHES.
2. SEE M.M.U.T.C.D. FOR PRIORITY PLACEMENT OF PLAQUE SIGNS.
3. THE USE OF LEGEND OR SYMBOL FOR GAS (STD. NO. D9-7), DIESEL FUEL (STD. NO. D9-11), FOOD (STD. NO. D9-8), LODGING (STD. NO. D9-9), AND CAMPING (STD. NO. D9-3 AND D9-3a) WILL ONLY BE PERMITTED, IF THAT SERVICE DOES NOT PARTICIPATE IN THE SPECIFIC SERVICE (LOGO) SIGN PROGRAM.

### COLORS

LEGEND AND BORDER	- WHITE (REFL.)
BACKGROUND	- BLUE (REFL.)
SYMBOLS	- PER D9 STANDARDS
CENTRALLY LOCATE ALL LEGENDS	



## MOTORIST SERVICES SIGNS




D9-18c  
MOTORIST SERVICES SIGN 3 SYMBOLS EXIT

1. D9 SERIES SYMBOL PLATES ARE 24 x 24 INCHES.
2. SIGN LENGTH MAY NEED TO BE INCREASED IF THE EXIT NUMBER HAS MORE THAN 3 CHARACTERS.
3. SEE M.M.U.T.C.D. FOR PRIORITY PLACEMENT OF PLAQUE SIGNS.
4. THE USE OF LEGEND OR SYMBOL FOR GAS (STD. NO. D9-7), DIESEL FUEL (STD. NO. D9-11), FOOD (STD. NO. D9-8), LODGING (STD. NO. D9-9), AND CAMPING (STD. NO. D9-3 AND D9-3a) WILL ONLY BE PERMITTED, IF THAT SERVICE DOES NOT PARTICIPATE IN THE SPECIFIC SERVICE (LOGO) SIGN PROGRAM.

### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
SYMBOLS - PER D9 STANDARDS  
CENTRALLY LOCATE ALL LEGENDS

## ADVANCE SERVICES SIGNS



D9-18d  
GENERAL SERVICES (ONE LINE)

\* USE 7 FOR 96 SIGN & 19 FOR 120 SIGN




## EXIT NUMBER DETAIL

NOTE: EXIT NUMBERS MAY BE USED AS AN ALTERNATE BOTTOM LINE.

## COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS

ADVANCE SERVICES SIGNS



D9-18e  
GENERAL SERVICES (TWO LINES)

\* USE 7 FOR 96 SIGN & 19 FOR 120 SIGN

NOTE: EXIT NUMBERS MAY BE USED AS AN ALTERNATE BOTTOM LINE (SEE DETAIL FOR STANDARD (D9-18d))

COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS

## ADVANCE SERVICES SIGNS



D9-18f  
GENERAL SERVICES (THREE LINES)

\* USE 7 FOR 96 SIGN & 19 FOR 120 SIGN

NOTE: EXIT NUMBERS MAY BE USED AS AN ALTERNATE BOTTOM LINE (SEE DETAIL FOR STANDARD (D9-18d)

## COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS

## ADVANCE SERVICES SIGNS




D9-18g  
GENERAL SERVICES (FOUR LINES)

\* USE 7 FOR 96 SIGN & 19 FOR 120 SIGN

NOTE: EXIT NUMBERS MAY BE USED AS AN ALTERNATE BOTTOM LINE (SEE DETAIL FOR STANDARD D9-18d)

## COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D10-1  
REFERENCE LOCATION (1-DIGIT)

COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D10-1a  
INTERMEDIATE REFERENCE LOCATION (1-DIGIT)

COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D10-2  
REFERENCE LOCATION (2-DIGIT)

COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D10-2a  
INTERMEDIATE REFERENCE LOCATION (2-DIGIT)

COLORS


LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D10-3  
REFERENCE LOCATION (3-DIGIT)

COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS




D10-3a  
INTERMEDIATE REFERENCE LOCATION (3-DIGIT)

COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS





D10-4  
ENHANCED REFERENCE LOCATION


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS

\* REFER TO PAGE 6-62.1 OF THE APPENDIX FOR CARDINAL DIRECTION SPACING

REDUCE CARDINAL DIRECTION SPACING TO 25% FOR LEGENDS "NORTH" OR "SOUTH"



**D10-5**  
INTERMEDIATE ENHANCED REFERENCE LOCATION

**COLORS**

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS

\* REFER TO PAGE 6-62.1 OF THE APPENDIX FOR CARDINAL DIRECTION SPACING

REDUCE CARDINAL DIRECTION SPACING TO 75% FOR LEGENDS "NORTH" OR "SOUTH"




D11-1  
BICYCLE ROUTE

DIMENSIONS (INCHES)							
A	B	C	D	E	F	G	H
24	18	.5	1.5	1.5	3 C	10.5	18.5
30	24	.625	1.5	2.29	4 C	13.13	23.12

#### COLORS


LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS  
 \* SEE APPENDIX PAGE 6-7 FOR SYMBOL DETAILS



D11-2  
PEDESTRIAN GUIDE

\* See page 6-10 for symbol design.

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — GREEN (RETROREFLECTIVE)




D11-5  
SNOWMOBILE ROUTE SYMBOL

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS  
 \* SEE APPENDIX PAGE 6-29 FOR SYMBOL DETAILS

## D11-5 SUPPLEMENTAL PANELS



PANEL 2  
ROUTE BEGINS PANEL

- \* ALTERNATE LEGEND "NEXT XX MILES."  
WITH "XX MILES" REPLACING "BEGINS".
- \*\* "ENDS" MAY BE USED WHEN APPROPRIATE.

### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS

# D11-5 SUPPLEMENTAL PANELS



PANEL 3  
PROHIBITED PANEL




PANEL 4  
NO PARKING PANEL


## COLORS

LEGEND AND BORDER - RED (REFL.)  
BACKGROUND - WHITE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS

# D11-5 SUPPLEMENTAL PANELS



PANEL 5  
SINGLE FILE ONLY PANEL




PANEL 6  
BACK OF SHOULDER ONLY PANEL

## COLORS

LEGEND AND BORDER - BLACK (NON-REFL.)  
BACKGROUND - WHITE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



# D11-5 SUPPLEMENTAL PANELS




PANEL 7  
COUNTY LINE PANEL

## COLORS

LEGEND AND BORDER - BLACK (NON-REFL.)  
 BACKGROUND - WHITE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS


## D11-5 SUPPLEMENTAL PANELS



PANEL 8  
EXCEPT AS POSTED PANEL

### COLORS

LEGEND AND BORDER - BLACK (NON-REFL.)  
BACKGROUND - WHITE (REFL.)  
CENTRALLY LOCATE ALL LEGENDS



D11-5a  
COMBINED SNOWMOBILE ROUTE SYMBOL AND PANEL

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS  
 \* SEE APPENDIX PAGE 6-29 FOR SYMBOL DETAILS


#### \* ALTERNATE LEGENDS:

"SNOWMOBILES" - 3 1-W

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)

"PROHIBITED" - 3 C

"NO PARKING" - 3 C  
 LEGEND AND BORDER - RED (REFL.)  
 BACKGROUND - WHITE (REFL.)




D12-1  
WEATHER INFO

SIGN	DIMENSIONS (INCHES)											
	A	B	C	D	E	F	G	H	J	K	L	M
STD.	84	48	1.5	7	6 4-W	5	4 4-W	4	6	6	6	5
EXPWY.	108	66	2	9	8 4-W	7	6 4-W	6	8	8	9	6
FWY.	132	84	2	11	10 4-W	9	8 4-W	8	10	9	9	8

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS



D12-2b  
CARPOOL VANPOOL INFORMATION


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)

CENTRALLY LOCATE ALL LEGENDS

SEE APPENDIX PAGES 6-42 & 6-42.1 FOR SYMBOL DETAILS

\* REFER TO GUIDANCE WITHIN MDOT GUIDELINES FOR SIGNING ON  
STATE TRUNKLINE HIGHWAYS FOR APPROPRIATE TOLL FREE NUMBER



D12-2c  
CARPOOL VANPOOL BUS INFORMATION


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)

CENTRALLY LOCATE ALL LEGENDS

SEE APPENDIX PAGES 6-42, 6-42.1, & 6-33 FOR SYMBOL DETAILS

\* REFER TO GUIDANCE WITHIN MDOT GUIDELINES FOR SIGNING ON  
STATE TRUNKLINE HIGHWAYS FOR APPROPRIATE TOLL FREE NUMBER



D12-2d  
RIDESHARE INFO

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - BLUE (REFL.)

CENTRALLY LOCATE ALL LEGENDS

\* REFER TO GUIDANCE WITHIN MDOT GUIDELINES FOR SIGNING ON  
STATE TRUNKLINE HIGHWAYS FOR APPROPRIATE TOLL FREE NUMBER




D12-3  
CHANNEL 9 MONITORED

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
35 MPH OR LESS	72	48	1	6	4	6 3-W	3	5
40 MPH OR MORE	120	84	1.5	10	8	10 3-W	6	9


#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - BLUE (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS





D13-2  
CROSSOVER




NOTE: SECOND LINE OF LEGEND MAY BE SUBSTITUTED WITH ARROW ABOVE.  
SEE APPENDIX PAGE 6-2 FOR ARROW DETAILS.  
USE THE E\* AND F\* DIMENSIONS WHEN USING THE ARROW.

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	E*	F	F*	G	H	J	K	L	M
STD.	60	30	.75	6	6 3-W	6.12	6	5.88	8 3-W	6	5	1.625	2.25	30
EXPWY.	84	36	1	7	8 3-W	8.12	6	5.88	10 3-W	8	6	3	3	35

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
BACKGROUND - GREEN (REFL.)  
CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D13-3

FREEWAY ENTRANCE

\*Series 2000 Standard Alphabets.  
 \*\*Reduce spacing to fit.

COLORS: LEGEND WHITE (RETROREFLECTIVE)  
 BACKGROUND GREEN (RETROREFLECTIVE)




D13-3aR  
FREEWAY ENTRANCE



D13-3aL

#### COLORS

LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D15-1

COMBINATION LANE USE / DESTINATION

\* See sign designations M1 through M6 for sign design.

\*\* See sign designation R3-5 or R3-5a for sign design.


COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — GREEN (RETROREFLECTIVE)



D17-1  
NEXT PASSING LANE DISTANCE

#### COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- \* ALTERNATE LEGENDS: TRUCK OR CLIMBING
- CENTRALLY LOCATE ALL LEGENDS



D17-2  
PASSING LANE DISTANCE

#### COLORS


- LEGEND AND BORDER - WHITE (REFL.)  
 BACKGROUND - GREEN (REFL.)  
 \* ALTERNATE LEGENDS: TRUCK OR CLIMBING  
 CENTRALLY LOCATE ALL LEGENDS



D17-3  
PASSING LANE AHEAD

#### COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- \* ALTERNATE LEGENDS: TRUCK OR CLIMBING
- CENTRALLY LOCATE ALL LEGENDS



D18-1

ALTERNATIVE FUELS CORRIDOR

★ Reduce character spacing 40%.

A	B	C	D	E	F	G	H	J	K	L	M
24	0.5	5	3 C	2.5	3 C	10.519	10.519	4.907	8.163	8.162	1.5
36	0.75	6.75	5 C*	3.75	5 C	16.232	16.231	8.178	13.605	13.604	2.25

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)  
BACKGROUND — BLUE (RETROREFLECTIVE)