



A DETAIL "A" - CENTER HINGE STAINLESS STEEL
NTS

APPROVED BY: _____
DIRECTOR, BUREAU OF FIELD SERVICES

APPROVED BY: _____
DIRECTOR, BUREAU OF DEVELOPMENT



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE


STANDARD PLAN FOR
MICROWAVE
VEHICLE DETECTION

(SPECIAL DETAIL)
FHWA APPROVAL


05/17/23
PLAN DATE

SIG-440-A


SHEET
1 OF 4



B DETAIL - SIGHT ORIENTATION DIAGRAM
NTS



C DETAIL - SIDE POLE MOUNTED
NTS



D DETAIL - BRACKET TRUSS ARM MOUNTED
NTS

(*) NOTES:

1. USE 3/8" X 5" HEX HEAD SCREW (2" MIN.) FOR MOUNTING TO WOOD POLES.
2. USE 3/4" X 0.30 MIN. STAINLESS STEEL BAND FOR MOUNTING TO STEEL POLES, PEDISTALS OR BRACKET TRUSS ARMS.



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE

STANDARD PLAN FOR
MICROWAVE
VEHICLE DETECTION



(SPECIAL DETAIL)
FHWA APPROVAL

05/17/23
PLAN DATE

SIG-440-A


SHEET
2 OF 4

SECT



E DETAIL - MICROWAVE VEHICLE SENSOR ORIENTATION
NTS

Michigan Department of Transportation DEPARTMENT DIRECTOR BRADLEY C. WIEFERICH, PE	STANDARD PLAN FOR MICROWAVE VEHICLE DETECTION			SHEET 3 OF 4
	(SPECIAL DETAIL) FHWA APPROVAL	05/17/23 PLAN DATE	SIG-440-A	



F DETAIL - ETHERNET CABLE EXTENSION ORIENTATION
NTS



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE

STANDARD PLAN FOR
MICROWAVE
VEHICLE DETECTION

(SPECIAL DETAIL)
FHWA APPROVAL

05/17/23
PLAN DATE

SIG-440-A

SHEET
4 OF 4

SECT