
GENERAL INFORMATION SIGNS

I 1-1 THROUGH I15-1 RECREATIONAL AND CULTURAL INTEREST AREA SIGNS CLEARVIEW FONT




 PW
 Reference
 Documents
 Traffic
 Reference
 Typicals
 Develop
 Sign_StdHwySigns_D
 Titlepage_i.dgn


 REVISION
 DATE:
 06/30/2020
 NM
 DRAWN
 DY:
 NM
 CHECKED
 DY:
 NM





★ Increase character spacing 100%.


COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE) BACKGROUND - GREEN (RETROREFLECTIVE)













I 2—6 ENTER TIME ZONE





 PW
 Reference
 Documents
 Traffic
 Reference
 Typicals
 Develop
 Sign_StdHwySigns_D
 Dio2_06.dgn

 REVISION
 DATE:
 06/30/2020
 NM
 DRAWN
 DY:
 NM
 CHECKED
 DY:
 MN



I $2\!-\!7$ 45TH PARALLEL HALFWAY BETWEEN EQUATOR AND NORTH POLE


| SIGN | | | DIMENSI | ONS (IN | CHES) | | |
|-------------|-----|----|---------|---------|-------|-----|-------|
| SIGN | А | В | C | D | E | F | G |
| NON-FREEWAY | 72 | 30 | 5.5 | 4 2-W | 3.5 | .75 | 1.625 |
| FREEWAY | 120 | 42 | 7 | 6 3-W | 5 | 1.5 | 3 |


COLORS LEGEND AND BORDER - WHITE (REFL.) BACKGROUND - GREEN (REFL.) CENTRALLY LOCATE ALL LEGENDS



 PW
 Reference
 Documents
 Traffic
 Reference
 Typicals
 Develop
 Sign_StdHwySigns_D
 D02_07.dgn

 REVISION
 DATE:
 06/30/2020
 NM
 DRAWN
 DY:
 NM
 CHECKED
 DY:
 MN






*See page 6-53 for symbol design.

| Α | В | С | D | E |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |

| COLORS: | SYMBOL | WHITE | (RETROREFLECTIVE) |
|---------|------------|-------|-------------------|
| | BACKGROUND | GREEN | (RETROREFLECTIVE) |




BUS STATION

*See page 6-33 for symbol design.

| А | В | С | D | E |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |

| COLORS: | SYMBOL | WHITE | (RETROREFLECTIVE) |
|---------|------------|-------|-------------------|
| | BACKGROUND | GREEN | (RETROREFLECTIVE) |






| SIGN | | DIMENSIONS (INCHES) | | | | | |
|---------|----|---------------------|------|-----|----|-------|--|
| SIGN | A | В | С | D | E | F | |
| MIN. | 18 | .375 | .625 | 1.5 | 15 | 1.5 | |
| STD. | 24 | .375 | .625 | 2 | 20 | 1.5 | |
| SPECIAL | 30 | .5 | .75 | 2.5 | 25 | 1.875 | |

COLORS SYMBOL AND BORDER - BLACK (NON-REFL.) BACKGROUND - ORANGE (REFL.) CENTRALLY LOCATE ALL LEGENDS



 PW
 Reference
 Documents
 Traffic
 Reference
 Typicals
 Develop
 Sign_StdHwySigns_D
 Observation
 Observation<




I-7 TRAIN STATION

*See page 6-54 for symbol design.


| Α | В | С | D | Е |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |

COLORS: SYMBOL WHITE (RETROREFLECTIVE) BACKGROUND GREEN (RETROREFLECTIVE)



| А | В | С | D | E |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |

| COLORS: | SYMBOL | WHITE | (RETROREFLECTIVE) |
|---------|------------|-------|-------------------|
| | LEGEND | WHITE | (RETROREFLECTIVE) |
| | BACKGROUND | GREEN | (RETROREFLECTIVE) |













 PW
 Reference
 Documents
 Traffic
 Reference
 Typicals
 Develop
 Sign_StdHwySigns_D
 D1.dgn

 REVISION
 DATE:
 06/30/2020
 NM
 DRAWN
 DY:
 NM
 CHECKED
 DY:
 MN











I 1 O-4 SHERIFF DISTANCE














I-11a RECYCLING CENTER ARROW





PW Reference Documents\Traffic Reference\Typicals\Develop\Sign_StdHwySigns_D\i_11a.dgn REVISION DATE: 06/30/2020 NM DRAWN BY: NM CHECKED BY: MN






I 1 1 -3 HISTORICAL MARKER DISTANCE

COLORS LEGEND AND BORDER - WHITE (REFL.) BACKGROUND - GREEN (REFL.) CENTRALLY LOCATE ALL LEGENDS



 PW
 Reference
 Develop
 Sign_StdHwySigns_D
 Sign_StdHwySign_




I-12

LIGHT RAIL STATION


*See page 6-18 for symbol design.

| А | В | С | D | Е |
|----|-----|-------|-------|-------|
| 18 | .5 | 1.25 | 15.5 | 1.5 |
| 24 | .5 | 1.625 | 20.75 | 1.5 |
| 30 | .75 | 2 | 26 | 1.875 |


COLORS: SYMBOL WHITE (RETROREFLECTIVE) BACKGROUND GREEN (RETROREFLECTIVE)











GRADE CROSSING EMERGENCY NOTIFICATION



















LEGEND AND BORDER - WHITE (REFL.) BACKGROUND - GREEN (REFL.) CENTRALLY LOCATE ALL LEGENDS



 PW
 Reference
 Traffic
 Reference
 Typicals
 StdHwySigns_D
 Info
 <








LEGEND AND BORDER - WHITE (REFL.) BACKGROUND - GREEN (REFL.) CENTRALLY LOCATE ALL LEGENDS



 PW
 Reference
 Documents
 Traffic
 Reference
 Typicals
 Develop
 Sign_StdHwySigns_D
 Sign_StdHwySigns_D
 CHECKED
 BY:
 MGN

 REVISION
 DATE:
 04/15/2021
 NJM
 DRAWN
 BY:
 NJM
 CHECKED
 BY:
 MGN






COLORS LEGEND AND BORDER - WHITE (REFL.) BACKGROUND - GREEN (REFL.) CENTRALLY LOCATE ALL LEGENDS



PW Reference Documents\Traffic Reference\Typicals\Develop\Sign_StdHwySigns_D\i16-03.dgn REVISION DATE: 04/15/2021 NJM DRAWN BY: NJM CHECKED BY: MGN



THE LARGEST DIMENSION OF MOST SYMBOLS SHOULD BE ABOUT 83.5% OF THE TOTAL SIGN WIDTH.

| DIMENSIONS (INCHES) | | | | | | |
|---------------------|------|-----|----|-----|------|--|
| A | В | С | D | Ε | F | |
| 24 | .5 | 2 | 20 | 1.5 | 3 | |
| 18 | .5 | 1.5 | 15 | 1.5 | 2.25 | |
| 12 | .375 | 1 | 20 | 1.5 | 3 | |
| 9 | .375 | .75 | 15 | 1.5 | 2.25 | |
| 6 | .25 | 2 | 20 | 1.5 | 3 | |

|) |
|---|
| |
| 3 |
| |

LEGEND AND BORDER - WHITE (REFL.) BACKGROUND - BROWN (REFL.) PROHIBITION - RED (REFL.) RECREATION SYMBOLS, WHEN USED ALONE, ARE TO ONLY BE USED WITH M5 & M6 SERIES ARROWS



 PW
 Reference
 Develop
 Sign_StdHwySigns_D<i_rec_details.dgn</th>

 REVISION
 DATE:
 06/30/2020
 NM
 DRAWN
 DY:
 NM
 CHECKED
 DY:
 MN



*RS-002 SMOKING





RS-020

GROCERY STORE

RS-027

MECHANIC

*RS-037

*RS-043

TRAIL SHELTER

SLEEPING SHELTER



RS-011 DEER VIEWING AREA



MEN'S RESTROOM



RS-006 LOOKOUT TOWER



RS-012 BEAR VIEWING AREA



RS-022 RESTROOMS



RS-039

PICNIC SHELTER

RS-045

KENNEL







RS-040 TRAILER SITE









RS-047 DOWNHILL SKIING



*RS-008 FALLING ROCKS



RS-015 RANGER STATION



RS-024 FIRST AID

*RS-035

SHOWERS

RS-041

SANITARY STATION



RS-009 DAM



*RS-017 PETS ON LEASH



RS-026 POST OFFICE



RS-036 VIEWING AREA



*RS-042 CAMPFIRES



RS-048 SKI JUMPING

* FOR NON-ROAD USE ONLY



PW Reference Documents\Traffic Reference\Typicals\Develop\Sign_StdHwySigns_D\i_rec_01.dgn REVISION DATE: 06/30/2020 NM DRAWN BY: NM CHECKED BY: MN



RS-005

TUNNEL



*RS-030

LOCKERS/STORAGE

RS-038

RUSTIC CAMPING

RS-044

PICNIC SITE





RS-031 BUS STOP







RS-023

RS-007

LIGHTHOUSE

RS-013

DRINKING WATER







RS-049 SLEDDING



RS-056 SAILING



RS-062 DIVING

RS-070

AMPHITHEATER

RS-079

CANOEING

RS-085

LAUNDROMAT



RS-050 ICE SKATING



RS-057 ROWBOATING



RS-071

TRAMWAY

RS-080

POINT OF INTEREST

RS-086

LITTER RECEPTACLE

RS-063 FISHING AREA



RS-052 SNOWMOBILING

RS-058

WATERSKIING

RS-064

HORSE TRAIL



RS-053 MARINA



RS-059 SURFING



RS-066 OFF-ROAD VEHICLE



WILDLIFE VIEWING



CLIMBING







WADING



RS-054 BOAT RAMP



RS-060 SCUBA DIVING

RS-067

OFF-ROAD VEHICLE

TRAIL

RS-077

WINTER RECREATIONAL

AREA

*RS-083

*RS-089

FISH LADDER

ROCK COLLECTING





RS-068 HIKING TRAIL

RS-055

MOTORBOATING

RS-061

SWIMMING



RS-078 SNOWSHOEING



RS-084 SPELUNKING/CAVES



*RS-090 FIRE EXTINGUISHER

* FOR NON-ROAD USE ONLY



PW Reference Documents\Traffic Reference\Typicals\Develop\Sign_StdHwySigns_D\i_rec_02.dgn 06/30/2020 NM DRAWN BY: REVISION DATE: NM CHECKED BY: MN





RS-081 TECHNICAL ROCK CLIMBING



RS-087 TOUR BOAT

























RS-091 TRASH DUMPSTER



RS-097 EXERCISE/FITNESS



RS-104 RECREATIONAL VEHICLE SITE



*RS-111 STROLLERS



RS-117 HAND LAUNCH/SMALL BOAT LAUNCH



*RS-123 STAY ON TRAIL



RS-092 ICE FISHING



*RS-098 SKATEBOARDING



RS-105 CHAIR LIFT/SKI LIFT



*RS-112 FIREWOOD CUTTING



RS-118 **KAYAKING**



RS-124 RADIATOR WATER



RS-119 FISHING PIER



RS-125 IN-LINE SKATING



*RS-094 LIFEJACKETS



*RS-101 CANS OR BOTTLES



RS-107 WHALE VIEWING



RS-114 INTERPRETIVE TRAIL



*RS-120 WOOD GATHERING



RS-126 HANG GLIDING



RS-095 ALL-TERRAIN TRAIL



*RS-102 SNACK BAR



RS-108 WIND SURFING



RS-115 SEA PLANE



RS-121 JET SKI/PERSONAL WATERCRAFT



RS-127 SNOWBOARDING



*RS-096 BASEBALL



*RS-103 RADIOS



RS-109 THEATER



RS-116 ARCHERY



*RS-122 WALK ON BOARDWALK



*RS-128 GOLFING

* FOR NON-ROAD USE ONLY



PW Reference Documents\Traffic Reference\Typicals\Develop\Sign_StdHwySigns_D\i_rec_03.dgn 06/30/2020 NM DRAWN BY: REVISION DATE: NM CHECKED BY: MN



*RS-093

FISH CLEANING

*RS-099

RATTLESNAKES





























RS-129 TENNIS



RS-143 DOG SLEDDING





RS-137 **RS-138** BABY CHANGING BABY CHANGING STATION PICK-UP TRUCKS STATION (MEN'S ROOM) (WOMEN'S ROOM)



RS-140

RS-146

RAFTING





RS-142 NATURE STUDY AREA CULTURAL INTEREST



RS-147 BOAT MOTOR



RS-148 WALK-IN CAMP



CORRAL

RS-149



RS-144

SNOW TUBING

RS-150 ELECTRICAL HOOK-UP



RS-145

BEACH

*RS-200 RECYCLING



Michigan Department of Transportation Traffic and Safety

*FOR NON-ROAD USE ONLY

PW Reference Documents\Traffic Reference\Typicals\Develop\Sign_StdHwySigns_D\i_rec_04.dgn 06/30/2020 NM DRAWN BY: CHECKED BY: MN REVISION DATE: NM