



GUIDE SIGNS

FOR LOCAL AGENCY USE
NON-CLEARVIEW VERSION



D1-1
DESTINATION (1 LINE)

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	12	.75	5 D	5	4	3.5	1.625	5A
40 MPH OR MORE	VAR.	18	.75	7 D	7	6	5.5	1.625	7A




D1-2 (1.1)
DESTINATION (2 LINES)

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	30	.75	5 D	5	4	5	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 D	7	6	5.5	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-2 (1.2)
DOUBLE DESTINATION

SIGN	DIMENSIONS (INCHES)										ARROW
	A	B	C	D	E	F	G	H	J	K	SIZE
35 MPH OR LESS	VAR.	24	.75	5	5 D	5	4	1.625	4	9.5	5A
40 MPH OR MORE	VAR.	30	.75	5.5	7 D	7	6	1.625	5	11.5	7A


COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D1-1a
DESTINATION AND DISTANCE (1 LINE)

SIGN	DIMENSIONS (INCHES)								ARROW
	A	B	C	D	E	F	G	H	SIZE
35 MPH OR LESS	VAR.	12	.75	5 D	5	4	3.5	1.625	5A
40 MPH OR MORE	VAR.	18	.75	7 D	7	6	5.5	1.625	7A




D1-2a
DESTINATION AND DISTANCE (2 LINES)


SIGN	DIMENSIONS (INCHES)								ARROW
	A	B	C	D	E	F	G	H	SIZE
35 MPH OR LESS	VAR.	30	.75	5 D	5	4	5	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 D	7	6	5.5	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-1d (1.1)
ROAD NAME WITH ANGLED ARROW (1 LINE)
FOR ROUNDABOUT USE ONLY



D1-1d (1.2)
ROAD NAME WITH ANGLED ARROW (2 LINES)
FOR ROUNDABOUT USE ONLY

COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D1-1d (1.3)
 ROUTE DIRECTIONAL DESTINATION AND ANGLED ARROW
 FOR ROUNDABOUT USE ONLY

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-2d (1.1)
 ROUNDABOUT ARROW WITH DESTINATION AND DESTINATION WITH ARROW
 FOR ROUNDABOUT USE ONLY

* SEE PAGE 6-64 OF APPENDIX
 FOR SYMBOL DETAILS

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-2d (1.2)
 ARROW WITH DESTINATION AND ROUNDABOUT ARROW WITH DESTINATION
 FOR ROUNDABOUT USE ONLY

* SEE PAGE 6-64 OF APPENDIX
 FOR SYMBOL DETAILS

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTER THRU ARROW OVER ROUNDABOUT ARROW
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-3 (1.1)
DESTINATION (3 LINES)

SIGN	DIMENSIONS (INCHES)								ARROW
	A	B	C	D	E	F	G	H	SIZE
35 MPH OR LESS	VAR.	36	.75	3.5	5 D	5	4	1.625	5A
40 MPH OR MORE	VAR.	48	.75	4.5	7 D	7	6	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTER THRU ARROW OVER LEFT ARROW.
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-3 (1.2)
DOUBLE DESTINATION AND SINGLE DESTINATION

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	36	.75	5	5 D	5	7	4	4	1.625	5A
40 MPH OR MORE	VAR.	48	.75	6.25	7 D	7	9.5	5	6	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-3a
DESTINATION AND DISTANCE (3 LINES)

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	36	.75	3.5	5 D	5	4	1.625	5A
40 MPH OR MORE	VAR.	48	.75	4.5	7 D	7	6	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-3d (1.1)
 DESTINATION WITH ROUNDABOUT ARROW (3 LINES)
 FOR ROUNDABOUT USE ONLY

* SEE PAGE 6-64 OF APPENDIX
 FOR SYMBOL DETAILS

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS
- CENTER THRU ARROW OVER ROUNDABOUT ARROW




D1-3d (1.2)
 ROUNDABOUT DOUBLE DESTINATION AND DESTINATION WITH ARROW
 FOR ROUNDABOUT USE ONLY

* SEE PAGE 6-64 OF APPENDIX
 FOR SYMBOL DETAILS

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D1-3d (1.3)
 ROUNDABOUT DESTINATION AND DOUBLE DESTINATION WITH ARROW
 FOR ROUNDABOUT USE ONLY

* SEE PAGE 6-64 OF APPENDIX
 FOR SYMBOL DETAILS

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




VARIABLE
 D1-5
 EXIT DESTINATIONS
 FOR ROUNDABOUT USE ONLY

* SEE PAGE 6-64 OF APPENDIX
 FOR SYMBOL DETAILS


COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D2-1
DISTANCE (1 LINE)

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
35 MPH OR LESS	VAR.	12	.75	5 D	5	4	3.5	1.625
40 MPH OR MORE	VAR.	18	.75	7 D	7	6	5.5	1.625




D2-2
DISTANCE (2 LINES)

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
35 MPH OR LESS	VAR.	30	.75	5 D	5	4	1.625	7.5	5
40 MPH OR MORE	VAR.	36	.75	7 D	7	6	1.625	8	6

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS




D2-3
DISTANCE (3 LINES)

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
35 MPH OR LESS	VAR.	36	.75	5 D	6	4.5	5	4	1.625
40 MPH OR MORE	VAR.	48	.75	7 D	8.5	5	7	6	1.625

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS




D3-1
STREET NAME

DIMENSIONS (INCHES)							
A	B	C	D	E	F	G	H
VAR.	8	.5	2	4 C	3 C	1.5	3
VAR.	12	.5	3	6 C	4 C	1.5	5
VAR.	16	.5	4	8 C	6 C	1.5	6
VAR.	24	.5	6	12 C	10 C	1.5	9

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS
 THE BORDER MAY BE OMITTED FROM THIS SIGN




D3-2
ADVANCE STREET NAME

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
35 MPH OR LESS	VAR.	12	3.5	5 D	5	4
40 MPH OR MORE	VAR.	18	5.5	7 D	7	6

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS
 (i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

D3-2a
 ADVANCE STREET NAME WITH ARROW

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	12	.75	5 D	5	4	3.5	1.625	5A
40 MPH OR MORE	VAR.	18	.75	7 D	7	6	5.5	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS
 (i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

D3-2b
 DESTINATION AND ADVANCE STREET NAME

SIGN	DIMENSIONS (INCHES)									ARROW SIZE
	A	B	C	D	E	F	G	H	J	
35 MPH OR LESS	VAR.	30	.75	5 D	5	4	5	4.625	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 D	7	6	5.5	5.125	1.625	7A

COLORS
 LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D3-2c
DOUBLE ADVANCE STREET NAMES WITH ARROWS

SIGN	DIMENSIONS (INCHES)								ARROW SIZE
	A	B	C	D	E	F	G	H	
35 MPH OR LESS	VAR.	30	.75	5 D	5	4	5	1.625	5A
40 MPH OR MORE	VAR.	36	.75	7 D	7	6	5.5	1.625	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS
 (i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTERS.

D3-2d
 ADVANCE STREET NAME WITH ARROW (TWO LINES)

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J		
35 MPH OR LESS	VAR.	24	.75	5 D	5	4	5	4	1.625	5A	
40 MPH OR MORE	VAR.	30	.75	7 D	7	6	5.5	5	1.625	7A	

COLORS
 LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS
 (i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTER.


D3-2 (1.1)
 ADVANCE STREET NAME

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
35 MPH OR LESS	VAR.	24	5.5	5 D	4	4 D	4	5	3
40 MPH OR MORE	VAR.	30	6	7 D	5	6 D	6	7	5

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)

*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "
 " 2ND INTERSECTION " OR " NEXT LEFT "



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS
 (i.e. 22ND AVE) USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTER.

D3-2 (1.2)
 ADVANCE STREET NAME (DOUBLE WITH ARROWS)


SIGN	DIMENSIONS (INCHES)										ARROW
	A	B	C	D	E	F	G	H	J	K	SIZE
35 MPH OR LESS	VAR.	36	5.625	5 D	4	4 D	4	5	3	3	5A
40 MPH OR MORE	VAR.	42	5.25	7 D	4.75	6 D	6	7	3	5	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS

*ALTERNATE LEGEND: " NEXT INTERSECTION " OR " NEXT ROUNDABOUT "
 " 2ND INTERSECTION " OR " NEXT LEFT "



D3-2 (1.3)
ADVANCE STREET NAME (DOUBLE)

WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTER.

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	K	L
35 MPH OR LESS	VAR.	42	4.625	5 D	4	4 D	4	5	3	3
40 MPH OR MORE	VAR.	54	5.375	7 D	4.75	6 D	6	7	5	3.5


COLORS

LEGEND AND BORDER - WHITE (REFL.)
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS

*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "
" 2ND INTERSECTION " OR " NEXT LEFT "

** ONLY USE SPLICE FOR 40 MPH OR MORE SIGNS



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)
 USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTER.

D3-2 (1.4)
 ADVANCE STREET NAME (WITH ARROW)


SIGN	DIMENSIONS (INCHES)									ARROW
	A	B	C	D	E	F	G	H	K	SIZE
35 MPH OR LESS	VAR.	24	5.5	5 D	4	4 D	4	5	3	5A
40 MPH OR MORE	VAR.	30	6	7 D	5	6 D	6	7	5	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS

*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "
 " 2ND INTERSECTION " OR " NEXT LEFT "



WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)
USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTER.

D3-2 (1.5)
ADVANCE STREET NAME (DESTINATION WITH ARROW AND STREET NAME)


SIGN	DIMENSIONS (INCHES)											ARROW
	A	B	C	D	E	F	G	H	J	K	L	SIZE
35 MPH OR LESS	VAR.	36	5.5	5 D	3.25	4 D	4	5	4	3	3	5A
40 MPH OR MORE	VAR.	42	5.25	7 D	3	6 D	6	7	4.75	3	5	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
BACKGROUND - GREEN (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS


*ALTERNATE LEGEND: " NEXT SIGNAL " OR " NEXT ROUNDABOUT "
" 2ND INTERSECTION " OR " NEXT LEFT "



D3-2 (1.6)
 ADVANCE STREET NAME (WITH DOUBLE CARDINAL DIRECTIONS)
 FOR DIRECTIONAL CROSSOVERS ONLY

SIGN	DIMENSIONS (INCHES)												ARROW
	A	B	C	D	E	F	G	H	J	K	L	M	SIZE
35 MPH OR LESS	VAR.	30	5 D	4	3.5	4 D	2.56	6.88	3.06	4	5	4	5A
40 MPH OR MORE	VAR.	42	7 D	5	5	6 D	4.94	9.12	3.94	6	7	5	7A

COLORS
 LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE STREET NAME HORIZONTALLY




WHEN ROAD NAME USES A COMBINATION OF NUMBERS AND LETTERS (i.e. 22ND AVE)
 USE 2" AS THE SPACE BETWEEN THE NUMBERS AND THE LETTER.

D3-2 (1.7)
 ADVANCE STREET NAME (WITH SINGLE CARDINAL DIRECTION)

SIGN	DIMENSIONS (INCHES)								ARROW
	A	B	C	D	E	F	G	H	SIZE
35 MPH OR LESS	VAR.	24	5	5 D	4	4 D	5	4	5A
40 MPH OR MORE	VAR.	30	5.5	7 D	5	6 D	7	6	7A

COLORS


LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE STREET NAME HORIZONTALLY



D6-1
ROADSIDE PARK ARROW

- * USE 30" ARROW FOR SIGNS 42" OR MORE.
- ** SIGN WIDTH PER LEGEND:
 48" "SCENIC AREA"
 48" "SCENIC VIEW"
 54" "PARKING AREA"
 60" "SCENIC TURNOUT"
 66" "SCENIC OVERLOOK"


SEE APPENDIX PAGE 6-3.90 FOR ARROW DETAILS.



D6-2
ROADSIDE PARK DISTANCE

COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - BLUE (REFL.)
- ALTERNATE LEGENDS: SCENIC AREA, SCENIC OVERLOOK, SCENIC TURNOUT,
 SCENIC VIEW, AND PARKING AREA
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D6-3
ROADSIDE PARK WITH ANGLED ARROW


COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - BLUE (REFL.)
- ALTERNATE LEGENDS: SCENIC AREA, SCENIC OVERLOOK, SCENIC TURNOUT,
SCENIC VIEW, AND PARKING AREA
- SIGN TO BE USED FOR ANGLED PARK ENTRANCES ONLY
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D7-1
RECREATION AREA SIGN

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
35 MPH OR LESS	VAR.	30	.75	5	4 D	4	1.625	4	3
40 MPH OR MORE	VAR.	36	.75	5	6 D	4	1.625	6	5




D7-1a
RECREATION AREA DIRECTION SIGN

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	24	.75	6	4 D	4	4	3	1.625	12	5A
40 MPH OR MORE	VAR.	30	.75	6.5	6 D	5	6	5	1.625	15	7A

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - BROWN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




D7-1b
RECREATION AREA DIRECTION SIGN (THREE LINES)


SIGN	DIMENSIONS (INCHES)										ARROW
	A	B	C	D	E	F	G	H	J	K	SIZE
35 MPH OR LESS	VAR.	30	.75	5	4 D	4	4	3	1.625	15	5A
40 MPH OR MORE	VAR.	36	.75	5	6 D	4	6	5	1.625	18	7A

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - BROWN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D7-1c
RECREATION AREA SYMBOL DIRECTION SIGN (ONE LINE, 1 OR 2 SYMBOL(S))



D7-1c
RECREATION AREA SYMBOL DIRECTION SIGN (ONE LINE, 3 SYMBOLS)

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	30	4	5.5	4 D	3	12	3	.75	1.625	5A
40 MPH OR MORE	VAR.	42	6	6.5	6 D	5	18	5	.75	1.625	7A


COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - BROWN (REFL.)

SEE RS- SERIES DETAILS FOR SYMBOLS


*3 SYMBOLS MAXIMUM PER SIGN

WHILE USING 1 OR 2 SYMBOL(S): JUSTIFY ARROWS & SYMBOLS TO ARROW SIDE OF SIGN
WHILE USING 3 SYMBOLS: CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D7-1d

RECREATION AREA SYMBOL DIRECTION SIGN (TWO LINES 1 OR 2 SYMBOL(S))



D7-1d

RECREATION AREA SYMBOL DIRECTION SIGN (TWO LINES, 3 SYMBOLS)

SIGN	DIMENSIONS (INCHES)										ARROW SIZE
	A	B	C	D	E	F	G	H	J	K	
35 MPH OR LESS	VAR.	36	4	5	4 D	3	12	3	.75	1.625	5A
40 MPH OR MORE	VAR.	48	6	5	6 D	4	18	5	.75	1.625	7A


COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - BROWN (REFL.)


SEE RS- SERIES DETAILS FOR SYMBOLS

*3 SYMBOLS MAXIMUM PER SIGN

WHILE USING 1 OR 2 SYMBOL(S): JUSTIFY ARROWS & SYMBOLS TO ARROW SIDE OF SIGN
 WHILE USING 3 SYMBOLS: CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D7-3
MEMORIAL HIGHWAY (TWO LINES)




D7-3
MEMORIAL HIGHWAY (THREE LINES)

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
NON-FREEWAY	96 MAX.	30 MAX.	4	6	4 C	4	.75	1.625	5
FREEWAY	120 MAX.	42 MAX.	6	6.5	6 E MOD	5	1.5	6	7

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - BROWN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS



D9-2a
HOSPITAL NAME AND SYMBOL WITH ARROW

COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)


CENTRALLY LOCATE ALL LEGENDS

SIGN SHALL ONLY BE USED FOR NON-FREEWAY HOSPITAL SIGNING

SIGN LEGEND SHALL NOT INCLUDE "HOSPITAL" AND SHALL ONLY BE ONE LINE.

SEE D9-2 FOR SYMBOL

SEE ROUTE MARKER ARROWS M6-1, M6-2, AND M6-3 FOR ARROW DETAILS



D9-2b
HOSPITAL NAME AND SYMBOL WITH ANGLED ARROW

COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)


CENTRALLY LOCATE ALL LEGENDS

SIGN SHALL ONLY BE USED FOR NON-FREEWAY HOSPITAL SIGNING

SIGN LEGEND SHALL NOT INCLUDE "HOSPITAL" AND SHALL ONLY BE ONE LINE.

SEE D9-2 FOR SYMBOL

SEE ROUTE MARKER ARROW M6-2 21" X 15" SIZE FOR ARROW DETAILS



D9-2c
HOSPITAL NAME AND SYMBOL WITH UP ARROW

COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)


CENTRALLY LOCATE ALL LEGENDS

SIGN SHALL ONLY BE USED FOR NON-FREEWAY HOSPITAL SIGNING

SIGN LEGEND SHALL NOT INCLUDE "HOSPITAL" AND SHALL ONLY BE ONE LINE.

SEE D9-2 FOR SYMBOL


SEE ROUTE MARKER ARROW M6-3 21" X 15" SIZE FOR ARROW DETAILS




D9-2d
HOSPITAL PLAQUE

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - BLUE (REFL.)
- CENTRALLY LOCATE ALL LEGENDS



D13-2
CROSSOVER




NOTE: SECOND LINE OF LEGEND MAY BE SUBSTITUTED WITH ARROW ABOVE.
FOR ARROW DETAILS, SEE PAGE 6-2 OF THE APPENDIX.

SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
STD.	60	30	.75	6 D	5.5	8 D	6	5.25	1.625	2.25	30	6	
EXPWY.	84	36	1	7	8 D	6	10 D	8	6	3	3	35	8

COLORS


LEGEND AND BORDER - WHITE (REFL.)
BACKGROUND - GREEN (REFL.)
CENTRALLY LOCATE ALL LEGENDS AND ARROWS



D17-1
NEXT PASSING LANE DISTANCE

COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- * ALTERNATE LEGENDS: TRUCK OR CLIMBING
- CENTRALLY LOCATE ALL LEGENDS



D17-2
PASSING LANE DISTANCE

COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- * ALTERNATE LEGENDS: TRUCK OR CLIMBING
- CENTRALLY LOCATE ALL LEGENDS




D17-3
PASSING LANE AHEAD

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- * ALTERNATE LEGENDS: TRUCK OR CLIMBING
- CENTRALLY LOCATE ALL LEGENDS




I 2-1
ENTER MICHIGAN




I 2-2
COUNTY LIMIT

COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS



I2-2a
TOWNSHIP LIMIT




I2-2b
CHARTER TOWNSHIP LIMIT



I2-3 (CITY) I2-3a (VILLAGE)
CITY/ VILLAGE LIMIT

COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS




I 2-4
COMMUNITY LIMIT

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS




I 3-1
RIVER/CREEK IDENTIFIER



I 3-2
LAKE IDENTIFIER

COLORS


- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS



I 8-1
BUSINESS DISTRICT

COLORS

LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS
 SEE APPENDIX PAGE 6-3.91 FOR ARROW DETAILS




I 8-2
COMMUNITY BUSINESS DISTRICT

NOTE: SEE APPENDIX PAGE 6-3.91 FOR ARROW DETAILS.

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




I 10-3
STATE POLICE DISTANCE

COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)

CENTRALLY LOCATE ALL LEGENDS




I 10-3a
STATE POLICE ARROW

NOTE: SEE APPENDIX PAGE 6-3.91 FOR ARROW DETAILS.

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - BLUE (REFL.)
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS




I 10-4
SHERIFF DISTANCE

COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)

CENTRALLY LOCATE ALL LEGENDS



I 10-4a
SHERIFF ARROW

NOTE: SEE APPENDIX PAGE 6-3.91 FOR ARROW DETAILS.

COLORS

LEGEND AND BORDER - WHITE (REFL.)

BACKGROUND - BLUE (REFL.)

CENTRALLY LOCATE ALL LEGENDS AND ARROWS




I-11

RECYCLING

*See page 6-14 for symbol design.


COLORS: LEGEND WHITE (RETROREFLECTIVE)
 BACKGROUND GREEN (RETROREFLECTIVE)



I-11a
 RECYCLING CENTER ARROW


COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- REDUCE SPACING BETWEEN LETTERS TO 30%
- REDUCE ALL ARROW DIMENSIONS TO 80%
- CENTRALLY LOCATE ALL LEGENDS AND ARROWS
- SEE I-11 FOR RECYCLING SYMBOL, 1/3 SYMBOL SCALE
- SEE APPENDIX PAGE 6-3.91 FOR ARROW DETAILS



I 11-1
HISTORICAL MARKER AHEAD

NOTE: CENTRALLY LOCATE ALL LEGENDS




I 11-2
HISTORICAL MARKER ARROW

COLORS

LEGEND AND BORDER - WHITE (REFL.)


BACKGROUND - GREEN (REFL.)




I 11-3
HISTORICAL MARKER DISTANCE

COLORS

- LEGEND AND BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- CENTRALLY LOCATE ALL LEGENDS



112-1
ONE LINE VARIABLE IDENTIFIER



112-2
TWO LINE VARIABLE IDENTIFIER

COLORS
 LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE LEGENDS AND ARROWS
 SEE APPENDIX PAGE 6-3.91 FOR ARROW DETAILS


*USE 30" ARROW FOR
 SIGNS 42" OR MORE.
 USE 20-3/4" ARROW FOR
 SIGNS 36" OR LESS.



112-3
THREE LINE VARIABLE IDENTIFIER

COLORS
 LEGEND AND BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 CENTRALLY LOCATE ALL LEGENDS AND ARROWS
 SEE APPENDIX PAGE 6-3.91 FOR ARROW DETAILS.

*USE 30" ARROW FOR
 SIGNS 42" OR MORE.
 USE 20-3/4" ARROW FOR
 SIGNS 36" OR LESS.



NOTES:

1. CENTER NORTH AND SOUTH CARDINALS HORIZONTALLY BETWEEN BORDER AND ARROW.


M8-5
ROUTE DIRECTIONAL FISHHOOK

COLORS

LEGEND, ARROW, & BORDER - WHITE (REFL.)
 BACKGROUND - GREEN (REFL.)
 ROUTE MARKER - PER STANDARD

(DIMENSIONS ARE 1/2 THE SIZE OF THE
 36" ROUTE MARKER FOR M1-SERIES SIGNS)

SEE APPENDIX PAGE 6-62.1 FOR CARDINAL DIRECTION LETTER SPACING



* DIVIDE EXCESS LENGTH EQUALLY

M8-5a
 ROUTE AND ROAD NAME DIRECTIONAL FISHHOOK

COLORS

- LEGEND, ARROW, & BORDER - WHITE (REFL.)
- BACKGROUND - GREEN (REFL.)
- ROUTE MARKER - PER STANDARD

(DIMENSIONS ARE 1/2 THE SIZE OF THE
 36" ROUTE MARKER FOR M1-SERIES SIGNS)
 SEE APPENDIX PAGE 6-62.1 FOR CARDINAL DIRECTION LETTER SPACING

