




FRONT VIEW

A DETAIL - SOLAR POWER ASSEMBLY (ONE-SIDED RRFB)
N.T.S.

APPROVED BY: _____
DIRECTOR, BUREAU OF FIELD SERVICES

APPROVED BY: _____
DIRECTOR, BUREAU OF DEVELOPMENT



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE


STANDARD PLAN FOR
RECTANGULAR RAPID
FLASHING BEACON

(SPECIAL DETAIL)
FHWA APPROVAL

02/21/2024
PLAN DATE

SIG-321-A

SHEET
1 OF 5



SIDE VIEW

B **DETAIL - SOLAR POWER ASSEMBLY (ONE-SIDED RRFB)**
N.T.S.



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE

STANDARD PLAN FOR
RECTANGULAR RAPID
FLASHING BEACON


(SPECIAL DETAIL)
FHWA APPROVAL

02/21/2024
PLAN DATE

SIG-321-A

SHEET
2 OF 5

SECT



SIDE VIEW

C DETAIL - SOLAR POWER ASSEMBLY (TWO-SIDED RRFB)
N.T.S.

APPROVED BY: _____
DIRECTOR, BUREAU OF FIELD SERVICES

APPROVED BY: _____
DIRECTOR, BUREAU OF DEVELOPMENT



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE


STANDARD PLAN FOR
RECTANGULAR RAPID
FLASHING BEACON

(SPECIAL DETAIL)
FHWA APPROVAL


02/21/2024
PLAN DATE

SIG-321-A

SHEET
3 OF 5



D DETAIL - PERMANENT POWER SOURCE (RRFB)
N.T.S.



E DETAIL - CONTROL BOX ENCLOSURE DETAIL
N.T.S.



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE

STANDARD PLAN FOR
RECTANGULAR RAPID
FLASHING BEACON



(SPECIAL DETAIL)
FHWA APPROVAL

02/21/2024
PLAN DATE



SIG-321-A

SHEET
4 OF 5


SECT



F DETAIL - ONE-WAY RRFB (4 LED'S)
N.T.S.



SIDE VIEW



NOTES:

- 1) ALL DIMENSIONS ARE APPROXIMATE.
- 2) USE MANUFACTURER'S RECOMMENDED MOUNTING BRACKETS, FITTINGS, AND CONNECTORS.
- 3) USE AISI 300 SERIES STAINLESS STEEL HARDWARE.

G DETAIL - TWO-WAY RRFB (8 LED'S) TWO ONE-WAY MOUNTED BACK TO BACK
N.T.S.

APPROVED BY: _____
DIRECTOR, BUREAU OF FIELD SERVICES

APPROVED BY: _____
DIRECTOR, BUREAU OF DEVELOPMENT



DEPARTMENT DIRECTOR
BRADLEY C. WIEFERICH, PE

STANDARD PLAN FOR
RECTANGULAR RAPID
FLASHING BEACON

(SPECIAL DETAIL)
FHWA APPROVAL

02/21/2024
PLAN DATE

SIG-321-A

SHEET
5 OF 5