

Notes:

- All metal components to be Hot-Dipped Galvanized
Application rate: 2.3 oz/sqft min. - 6.5 oz/sqft max.


- All Midrange Dimensions Must Be Adjusted
According To The Same Dimensional change Per 10° F
As Shown In The Temperature Adjustment Table.

Model	Temperature Adjustment Chart ("A")					
	40°	50°	60°	70°	80°	90°
SE-300	1 7/8"	1 11/16"	1 1/2"	1 5/16"	1 1/8"	1 5/16"
SE-400	2 1/2"	2 1/4"	2"	1 3/4"	1 1/2"	1 1/4"

Model	Joint Width "A"	
	Min	Max
SE-300	0	3"
SE-400	0	4"


Model	Dimensions @ 60° F	
	"A"	"B"
SE-300	1 1/2"	2"
SE-400	2"	2 1/2"

PROJECT NAME: Michigan DOT
 PROJECT LOCATION: Michigan
 CUSTOMER: -
 DRAWING DESCRIPTION: Strip Seal "A" Rail with 1/2"x6" Studs





Watson Bowman Acme Corp.
 95 Pineview Drive, Amherst, NY 14228
 Phone: 716-691-7566 / Fax: 716-691-9239
 Website: www.wbacorp.com

DETAILED BY: CTW
 CHECKED BY: EB
 SCALE: -
 SHEET SIZE: A
 SHEET NO: 1
 DATE: 5/16/02
 CURRENT ISSUE: 5/8/03
 WDA JOB NO: Proposal
 DRAWING NO: P-50052



Notes:

1. All metal components to be Hot-Dipped Galvanized
Application rate: 2.3 oz/sqft min. - 6.5 oz/sqft max.




Model	Temperature Adjustment Chart ("A")					
	40°	50°	60°	70°	80°	90°
SE-300	1 7/8"	1 11/16"	1 1/2"	1 5/16"	1 1/8"	1 5/16"
SE-400	2 1/2"	2 1/4"	2"	1 3/4"	1 1/2"	1 1/4"

Model	Dimensions @ 60° F	
	"A"	"B"
SE-300	1 1/2"	2"
SE-400	2"	2 1/2"



Model	Joint Width "A"	
	Min	Max
SE-300	0	3"
SE-400	0	4"

PROJECT NAME: Michigan DOT
 PROJECT LOCATION: Michigan
 CUSTOMER: -
 DRAWING DESCRIPTION: Strip Seal "E" Rail with 1/2"x6" Studs



Watson Bowman Acme Corp.
 95 Pineview Drive, Amherst, NY 14228
 Phone: 716-691-7566 / Fax: 716-691-9239
 Website: www.wbacorp.com

REVISIONS: CTW 5/16/02
 CHECKED BY: EB
 SCALE: -
 SHEET SIZE: A
 SHEET NO: 2
 DRAWING NO: P-500052



Notes:

- 1. All metal components to be Hot-Dipped Galvanized
- Application rate: 2.3 oz/sqft min. - 6.5 oz/sqft max.

- All Midrange Dimensions Must Be Adjusted According To The Same Dimensional change Per 10° F As Shown In The Temperature Adjustment Table.

Model	Temperature Adjustment Chart ("A")					
	40°	50°	60°	70°	80°	90°
SE-300	1 7/8"	1 11/16"	1 1/2"	1 5/16"	1 1/8"	1 5/16"
SE-400	2 1/2"	2 1/4"	2"	1 3/4"	1 1/2"	1 1/4"

Model	Joint Width "A"	
	Min	Max
SE-300	0	3"
SE-400	0	4"


Model	Dimensions @ 60° F	
	"A"	"B"
SE-300	1 1/2"	2"
SE-400	2"	2 1/2"

PROJECT NAME: Michigan DOT

PROJECT LOCATION: Michigan

CUSTOMER: Michigan

DRAWING DESCRIPTION: Strip Seal "M" Rail with 1/2"x6" Studs



Watson Bowman Acme Corp.
 95 Pineview Drive, Amherst, NY 14228
 Phone: 716-691-7566 / Fax: 716-691-9239
 Website: www.wbacoop.com

DETAILED BY: CTW DATE: 5/16/02

CHECKED BY: EB CURRENT ISSUE: 5/8/03

SCALE: - NEXT JOB NO: Proposal

SHEET SIZE: A SHEET NO: 3 DRAWING NO: P-50052