

SPECIAL CONDITIONS FOR INSTITUTIONAL CONTROL PERMIT MARKERS

Site markers shall be used to identify the location of existing contamination within the property controlled by Michigan Department of Transportation (MDOT). **No excavation** is to occur within the defined area unless it is approved by MDOT staff.

Materials utilized for the site marker and its base are described below according to the physical location of the property controlled by MDOT. Different site locations will require a specific size of marker

Marker Materials Choices:

- Granite
- Aluminum
- Stamped concrete

Marker Specifications


- 15" X 15" marker area
- Legible lettering a minimum of 1.5" in height
- Etched in granite or engraved in aluminum, or stamped in concrete
- 2" margins on all sides
- Information on Marker
 - Restricted Excavation Area
 - MDOT
 - Permit Number

Marker locations and marker bases

1. Site marker location where there are sidewalks, concrete driveways, or parking areas: Site marker shall be set in concrete base with dimensions of 20" wide x 20" length x 12" depth. The site marker and base are to be located on edge of right of way next to sidewalk, or on edge of curb where there is no sidewalk on the boundaries of the RESTRICTED AREA WITHIN PROPERTY OWNED/CONTROLLED BYMDOT. Site markers shall be placed on all four corners of the restricted area within property owned/controlled by MDOT. Only 2 markers are needed if only one side of the roadway is affected.
2. Site marker location where there is no sidewalk or curb, in rural areas, along state trunk lines or interstate highways: The site marker base shall be constructed of concrete 20" wide x 24" length x 12" depth. The site marker and base are to be located on the edge of the right of way. Where there is a fence, the marker shall be placed near fence on edge of right of way.
3. The site marker locations shall be shown on the scaled drawing.
4. Alternate locations for markers must be approved by the Construction Permit Staff at the Transportation Service Center (TSC).

Detailed Marker Specifications

SPECIAL CONDITIONS
FOR
INSTITUTIONAL CONTROL PERMIT MARKER



MARKER MATERIALS CHOICES:
GRANITE
ENGRAVED ALUMINUM
STAMPED CONCRETE